




Searching for *Compressor: STAL*.Articles found : **911**

| Ralco P/N | Description | Compressor |
|---|---|------------|
| BLT1!2X38 | TORNILLO ALLEN FIT*S-50* /HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 1/2" X 1-1/2" 8.8 REF-3921 2151 286 | STAL |
| BLT1!2X45 | TORNILLO ALLEN FIT*S-50* /HEXAGONAL CAP PARTIALLY THREADED BOLT U6S UNC 1/2" X 1- 3/4" 8.8 REF-3921 2151 288 | STAL |
| BLT1!2X57 | TORNILLO ALLEN FIT*S-50* /HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 1/2" X 2-1/4" 8.8 REF-3921 2151 290 | STAL |
| BLT1!2X70 | TORNILLO ALLEN FIT*S-50* /HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 1/2" X 2-3/4" 8.8 REF-3921 2151 293 | STAL |
| BLT1!2X85 | TORNILLO CABEZA EXAGONAL FIT*S- 50* /HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 1/2"X3-3/8" 8.8 REF-3921 2151 296 | STAL |
| BLT1!2X90 | TORNILLO ALLEN FIT*S-50* /HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 1/2"X3-3/4" 8.8 REF-3921 2151 297 | STAL |
|  BLT1!4X13 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL CAP FULLY THREADED BOLT 8.8 UNC 1/4" X 1/2" N-160 REF- 3921 2151 107 | STAL |
| BLT1!4X25 | SEARCH BLTA1!4X25 TORNILLO ALLEN FIT *S-50* / HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 1/4" | STAL |


| Ralco P/N | Description | Compressor |
|---|--|------------|
| | X 1" 8.8 REF-3921 2150 113+3921 2151 113 | |
|  | BLT1!4X32 TORNILLO ALLEN FIT *S-50*/ HEXAGONAL CAP PARTIALLY THREADED BOLT 12.9 UNC 1/4" X1- 1/4" REF-3921 2151 116 | STAL |
| | BLT1!4X55 TORNILLO ALLEN FIT *S-50* / HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 1/4" X 2-3/16" 8.8 REF-3921 2151 122 | STAL |
|  | BLT3!8X25 SEARCH BLTA3!8X25 TORNILLO CABEZA EXAGONAL FIT *S-50* / HEXAGONAL CAP FULLY THREADED BOLT 8.8 UNC3/8" X 1" REF-3921 2151 194 | STAL |
|  | BLT3!8X32 SEARCH BLTA3!8X32 TORNILLO CABEZA EXAGONAL FIT *S-50* / HEXAGONAL CAP FULLY THREADED BOLT 8.8 UNC3/8" X 1-1/4" REF-3921 2151 197 | STAL |
|  | BLT3!8X38 SEARCH BLTA3!8X38 TORNILLO CABEZA EXAGONAL FIT*S-50* /HEXAGONAL CAP FULLY THREADED BOLT UNC 3/8" X 1-1/2" 8.8 N-163 REF- 3921 2151 199 | STAL |
| | BLT3!8X65 TORNILLO CABEZA EXAGONAL FIT *S- 50* / HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 12.9 3/8" X 2- 1/2" REF-3921 2151 205 | STAL |
| | BLT3!8X75 TORNILLO CABEZA EXAGONAL FIT *S- 50* / HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 3/8"X3" 8.8 N- 164 REF-3921 2151 207 | STAL |
|  | BLT5!16X25 SEARCH BLTA5!16X25 TORNILLO CABEZA EXAGONAL FIT *S-50* / HEXAGONAL CAP PARTIALLY THREADED BOLT U6S UNC 5/16" X 1" 12.9 DIN 912 REF-3921 2151 154 | STAL |





| | Ralco P/N | Description | Compressor |
|---|------------------|---|-------------------|
|  | BLT5!16X32 | TORNILLO CABEZA EXAGONAL FIT *S-50* / HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 5/16" X 1-1/4" 12.9 DIN-912 REF-3921 2151 157 | STAL |
|  | BLT5!16X38 | TORNILLO CABEZA EXAGONAL FIT *S-50* / HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 5/16" X 1-1/2" 12.9 DIN-912 REF-3921 2151 159 | STAL |
| | BLT5!8X38 | TORNILLO CABEZA EXAGONAL FIT *S-50* / HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 5/8" X 1-1/2" 12.9 DIN-912 REF-3921 2151 378 | STAL |
|  | BLT5!8X50 | SEARCH BLTA5!8X50 TORNILLO CABEZA EXAGONAL FIT *S-50* / HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 5/8" X 2" 8.8 REF-3921 2151 381 | STAL |
| | BLT5!8X65 | TORNILLO CABEZA EXAGONAL FIT *S-50* / HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 5/8" X 2-1/2" 12.9 DIN-912 REF-3921 2151 384 | STAL |
| | BLT5!8X75 | TORNILLO CABEZA EXAGONAL FIT *S-50* / HEXAGONAL CAP PARTIALLY THREADED BOLT UNC 5/8"X3" 12.9 DIN-912 REF-3921 2151 386 | STAL |
| | BLTA12X065 | TORNILLO ALLEN FIT STAL *S-80+CMO-2+R-57-M* / HEX. SOCKET HD SCREW DIN 912 12.9 M12X65 REF-3921 2179 545+1413.401+1424.059+0110665 | STAL |
| | BLTA12X070 | TORNILLO ALLEN FIT *CMO-MK-1* / HEX. SOCKET HD SCREW DIN 912 12.9 M12X70 REF-1413.397+1424.060+42-004-1342+3921 2120 546+380.336-01+245004109 | STAL |
| | BLTA12X075 | TORNILLO ALLEN FIT *CMO-2* / HEX. SOCKET HD SCREW DIN 912 12.9 M12X75 REF-1424.061+42-004-1343+1413.404 | STAL |

| Ralco P/N | Description | Compressor |
|--|---|------------|
| BLTA1!2X32 | TORNILLO ALLEN FIT *S-50*/ HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 UNC 1/2" X1- 1/4" REF-3921 2189 284 | STAL |
| BLTA1!2X57 | TORNILLO ALLEN FIT *S-50*/ HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 UNC 1/2" X2- 1/4" REF-3921 2189 290 | STAL |
| BLTA1!2X64 | TORNILLO ALLEN FIT *S-50*/ HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 UNC 1/2" X2- 1/2" REF-3921 2189 292 | STAL |
| BLTA1!2X75 | TORNILLO ALLEN FIT *S-50*/ HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 UNC 1/2" X3" REF-3921 2189 294 | STAL |
|  BLTA1!4X13 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 UNC 1/4" X 1/2" N-160 REF-3921 2189 107+3921 2151 107 | STAL |
|  BLTA1!4X16 | TORNILLO ALLEN FIT STAL *S- 50+70*+*WRV-163+204+255* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 1/4"X5/8" UNC-16 DIN-912 12.9 REF-1894 251- 1+BLTSW26019(TUFLOK) | STAL |
| BLTA1!4X25 | TORNILLO ALLEN FIT *S-50*/ HEXAGONAL SOCKET CAP FULLY THREADED BOLT UNC 1/4" X 1" 12.9 REF-3921 2189 113+3921 2150 113+3921 2151 113 | STAL |
|  BLTA1!4X32 | TORNILLO ALLEN FIT *S-50*/ HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 UNC 1/4" X1- 1/4" REF-3921 2189 116+3921 2151 116 | STAL |
| BLTA3!8X102 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY | STAL |

| | Ralco P/N | Description | Compressor |
|---|----------------|--|------------|
| | | THREADED BOLT 12.9 UNC 3/8" X 4" REF-3921 2189 202 | |
|  | BLTA3!8X1-1!4H | TORNILLO ALLEN FIT *S-50* /HEXAGONAL CAP PARTIALLY THREADED SCREW 3/8" X 1-1/4" WITH HOLE REF-1873 637-1 | STAL |
| | BLTA3!8X18 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 UNC 3/8" X11/16" REF-3921 2189 191 | STAL |
| | BLTA3!8X22 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 UNC3/8" X 7/8" REF-3921 2151 193 | STAL |
|  | BLTA3!8X25 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 UNC 3/8" X 1" N- 171 REF-3921 2189 194+39212151194 | STAL |
| | BLTA3!8X25H | TORNILLO ALLEN FIT *S-50* /HEXAGON SOCKET CAP FULLY THREADED BOLT 3/8" X 1" UNC WITH LOCKING HOLE REF-1873 623-2 | STAL |
|  | BLTA3!8X32 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 UNC 3/8" X 1- 1/4" N-172 REF-3921 2189 197+3921 2151 197 | STAL |
|  | BLTA3!8X32H | TORNILLO ALLEN FIT *S-50* /HEXAGON SOCKET CAP FULLY THREADED BOLT 3/8" X 1-1/4" UNC WITH LOCKING HOLE REF-1873 623-3 | STAL |
|  | BLTA3!8X38 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 UNC 3/8" X 1- 1/2"REF-3921 2189 199+3921 2151 199 | STAL |
|  | BLTA3!8X40 | TORNILLO ALLEN FIT *RC-9* / HEXAGONAL SOCKET CAP BOLT 12.9 UNC 3/8" X 40 REF- | STAL |

| | Ralco P/N | Description | Compressor |
|---|------------------|--|-------------------|
|  | BLTA3!8X45 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP BOLT 12.9 UNC 3/8" X 1-3/4" N-173 REF-3921 2189 201 | STAL |
|  | BLTA3!8X50 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT UNC 12.9 3/8" X 2" N- 164 REF-3921 2151 202 | STAL |
| | BLTA4X005 | TORNILLO ALLEN FIT ** /HEX SOCKET SCREW SET CAP POINT DIN 912 M4X5 14.1 REF- | STAL |
|  | BLTA4X006 | TORNILLO ALLEN FIT *CMO* / CYLINDER HEAD SCREW TO M4X6 14.10 DIN 912 REF-1412.200 | STAL |
| | BLTA5!16X16 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 DIN 912 UNC 5/16" X 5/8" REF-3921 2189 150 | STAL |
|  | BLTA5!16X20 | TORNILLO ALLEN FIT / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 DIN 912 UNC 5/16"X3/4" REF- | STAL |
|  | BLTA5!16X25 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 DIN 912 UNC 5/16" X 1" REF-3921 2151 154 | STAL |
| | BLTA5!16X30 | SEARCH BLT6310 TORNILLO ALLEN PLATO DESCARGAR FIT *5H* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 DIN 912 SAE HILO 24 5/16" X -11-1/4" REF-3921 2151 154 | STAL |
|  | BLTA5!16X38 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 DIN 912 UNC 5/16" X 1-1/2" N-171 REF-3921 2189 159 | STAL |



| | Ralco P/N | Description | Compressor |
|---|------------------|---|-------------------|
|  | BLTA5!16X50 | TORNILLO ALLEN FIT COPELAND BOMBA / HEX. SOCKET CAP SCREW UNC 5/16"X2" 12.9 DIN 912 REF-3921 2189 381 | STAL |
| | BLTA5!8X125 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 DIN 912 UNC 5/8" X 5" REF-3921 2189 396+3921 2151 396 | STAL |
| | BLTA5!8X45 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT UNC 5/8" X 1-3/4" 12.9 DIN 912 REF-3921 2151 380 | STAL |
|  | BLTA5!8X50 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 DIN 912 UNC 5/8" X 2" N-174 REF-3921 2189 381+3921 2151 381 | STAL |
| | BLTA5!8X55 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL CAP FULLY THREADED BOLT UNC 5/8" X 2-3/16" 12.9 DIN 912 REF-3921 2151 382 | STAL |
| | BLTA5!8X57 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT 12.9 DIN 912 UNC 5/8" X 2-1/4" REF-3921 2189 382 | STAL |
| | BLTA5!8X90 | TORNILLO ALLEN FIT *S-50* / HEXAGONAL SOCKET CAP FULLY THREADED BOLT UNC 5/8"X3-1/2" 12.9 DIN 912 REF-3921 2151 389 | STAL |
| | BLTA5X006T | TORNILLO ALLEN CABEZA BAJA FIT STAL *R-5* /LOW HEAD HEX. SOCKET CAP SCREW M5X6 8.8 DIN-7984 REF-3921 2174 321 | STAL |
| | BLTA7!16X50 | TORNILLO ALLEN FIT YORK * JS+ * / HEX. SOCKET CAP SCREW TERMINAL BOX UNC 7/16"X2"-14H 12.9 DIN 912 REF-021-13198+013845116+729725 | STAL |


| | Ralco P/N | Description | Compressor |
|---|------------------|--|-------------------|
| | BLTA8X045 | TORNILLO ALLEN / HEX SOCKET BOLT DIN 912 12.9 M8X45 REF- 1413.361+1424.172+3921 2179 460 | STAL |
|  | BLTA8X050 | TORNILLO ALLEN / HEX SOCKET BOLT DIN 912 12.9 M8X50 REF- 1424.173+1413.368+3921 2179 461+05430+380.306-10+245004068 | STAL |
|  | BLTA8X055 | TORNILLO ALLEN FIT STAL *S-81+83* / HEX SOCKET BOLT M8X55 12.9 REF- 3921 2179 462+1424.174 | STAL |
|  | BLTA8X060 | TORNILLO ALLEN / HEX SOCKET BOLT DIN 912 12.9 M8X60 REF- 1413.364 | STAL |
| | BLTA8X065 | TORNILLO ALLEN FIT GRASSO *V* / HEX SOCKET BOLT DIN 912 12.9 M8X65 REF- 0104465 | STAL |
| | BLTA8X070 | TORNILLO ALLEN / HEX SOCKET BOLT DIN 912 12.9 M8X70 REF- 1413.363+1424.042 | STAL |
| | BLTP3X008 | TORNILLO ALLEN CABEZA PLANA FIT STAL *P-16+F-19* /FLAT HEAD COUNTERSUNK SOCKET DIN-7991 M3X8 REEF-3921 2115 222 | STAL |
| | BLTSP010 | CENTER BOLT STAL FIT *P* REF-1824 603-1 | STAL |
| | BLTSP309 | HEX. SOCKET HEAD CAP SCREW FIT STAL *P2-K* N-310 REF-1895.309.1 | STAL |
| | BLTSS2179 | SEARCH BLTA12X065 SCREW FIT STAL *R-57-M* / HEX. SOCKET HD SCREW MC6S M12X65 N-100 REF-3921 2179 542 | STAL |
|  | BLTSS39212173453 | SEARCH BLTA8X025 - SCREW LOCKING FIT STAL *S-24+26+81+83* REF-3921 2173 453 | STAL |

| | Ralco P/N | Description | Compressor |
|---|------------------|---|-------------------|
|  | BLTSS8453 | SEARCH BLTA8X025 TORNILLO ALLEN FIT *S-81* / SCREW LOCKING REF-3921 2173 453 | STAL |
| | BLTSU000 | TORNILLO BIELA FIT STAL *U* / SCREW CONN. ROD N-110 REF-18704261 | STAL |
| | BLTSU010 | SCREW DISCHARGE VALVE PLATE FIT STAL *U* N-403 REF-18705671 | STAL |
| | BND05180 | SLYD RING FIT *XJS-095* 30" DIA. 2-3/8 T=0.375 9.5X2.5X197 REF-55-110-4180 + 534B0079H03 | STAL |
|  | BNDFS704 | ** SEARCH RTN05206 BANDA GUIA FIT *FRICK-283+399 + GSV-263+331* / RING PISTON SEAL GLYD 9.00 230X223X5.9 REF-534C0187H04 + 55- 110-5206 | STAL |
|  | BNDFS902 | SEARCH BND05201 BANDA GUIA FIT *FRICK-399 + SAB-283* / SLYD GLYD RING DIA. 9" T=0.500 REF- 534B0079H02+55-110-4201 | STAL |
| | BNDSS020 | SEALING TAPE FIT STAL *S-81+87* SBR 130X126X29.5 REF-1243.020 + 3921 8511 830 | STAL |
| | BNDSS021 | SEALING TAPE FIT STAL *S-87* SBR 180X176X25/30-292 REF-1243.021 + 3921 8511 880 | STAL |
| | BNDSS022 | SEALING TAPE FIT STAL *S-85* SBR 115X111X25/30-292 REF- 1243.022+3921 8511 815 | STAL |
| | BNDSS023 | SEALING TAPE FIT STAL *S-85* SBR 160X156X35/30-292 REF- 1243.023+3921 8511 860 | STAL |
| | BNDSS024 | SEALING TAPE FIT STAL *S-83* SBR 150X146X25/30-292 REF- 1243.024+3921 8511 850 | STAL |
| | BNDSS026 | SEALING TAPE FIT STAL *S-89* SBR 200X196X25/30-292 REF- | STAL |


| Ralco P/N | Description | Compressor |
|---|--|------------|
| | 1243.026+3921 8511 900 | |
| BNDSS027 | SEALING TAPE FIT STAL *S-83* SBR 105X101X25/30-292 REF- 1243.027+3921 8511 805 | STAL |
| BNDSS028 | SEALING TAPE FIT STAL *S-81* SBR 85X81X29.5 REF-1243.028 + 3921 8511 785 | STAL |
|  BNDSS080 | GUIDING TAPE F-3 FIT STAL *S-26* 7.9 X 2.5 L = 237 MM REF-3921 8509 080 | STAL |
| BNDSS2951 | BANDA GUIA FIT SELLO PRENSA FIT *S- 26* / SLYD RING SHAT SEAL REF-1906 295-1 | STAL |
|  BNDSS863 | BANDA GUIA 7.9 X 2.5 X 18.7 / GUIDING TAPE FIT STAL *S-24* REF- 3921 8509 863 | STAL |
| BNDSSR672 | (66) BANDA STAL FIT *R-5* / SUPPORT RING REF-1905 672-1 | STAL |
| BRG75002 | RODAMIENTO BOLAS FIT *SAB*/DEEP GROOVE BALL BEARING *6030* 150X225X35 REF-1511.002+51-002- 0029 | STAL |
| BRG75011 | RODAMIENTO BOLAS FIT *SAB- 330*/DEEP GROOVE BALL BEARING *6201* 12X32X10 REF-1511.011+3922 1321 201 | STAL |
| BRG75058 | RODAMIENTO BOLAS FIT *SAB- 330*/CYLINDRICAL ROLLER BEARING *3201* 12X32X15.9 REF-1513.058 | STAL |
| BRGFS50193A | SEARCH BRG051111B - BALL BEARING FOUR POINT ANGULAR CONTACT FIT FRICK *SAB-193* 140X65X33 QJ313 C2L REF-534B0101H30+51-016-0313 | STAL |
| BRGFS50193B | SEARCH BRG051111A - BALL BEARING FOUR POINT CONTACT FIT FRICK *SAB- 193* 80X140X26 QJ216 C2L REF--51- | STAL |

| Ralco P/N | Description | Compressor |
|---|---|------------|
| | 016-0516 +534B0101H29+534B0101H04 | |
| BRGSP000 | MAIN BEARING STAL *P* | STAL |
| BRGSP020 | KIT 2 SEMI COJINETE BIELA STAL *P* / SET 2 HALF CONN. ROD BEARING N- 120 REF-P42.117A | STAL |
| BRGSP030 | SHELL FIT STAL *P-2CD* REF-18941441 | STAL |
| BRGSP501 | HALF BEARING REF-1875 501-1 | STAL |
| BRGSP549 | HALF BEARING REF-1871 549-1 | STAL |
| BRGSP550 | HALF BEARING STAL *PK22K2* REF- 1870 550-1 | STAL |
| BRGSS004 | SEARCH BRGSS800C RODAMIENTO DE BOLAS DE CONTACT ANGULAR FIT STAL *S-87* /ANGULAR CONTACT BALL BEARING 7318 90X190X43 TOLERANCE CLASS PN REF-1512.2004 | STAL |
| BRGSS009 | RODAMIENTO BOLAS FIT *SAB*/DEEP GROOVE BALL BEARING *6316* 80X170X39 REF- 1511.009+1563P163+1906 648- 1+1513P004+1522P096+1511P227 | STAL |
|  BRGSS2024 | COJINETE BANCADA FIT STAL *S-24-B* / RADIAL BEARING REF-1903 125-1 | STAL |
|  BRGSS2026 | 73.9X90X90.1 COJINETE BANCADA FIT STAL *S-26-MK-1+2* / RADIAL BEARING REF-1901 801-1 | STAL |
|  BRGSS250 | RODAMIENTO FIT STAL *S-24MK1- B+C+MK2D* / ANGULAR CONTACT BALL BEARING SINGLE ROW 80X35X21 7307-B WITH PIN HOLE REF-1899 523- 1 | STAL |

| | Ralco P/N | Description | Compressor |
|---|------------------|---|-------------------|
|  | BRGSS251 | RODAMIENTO FIT STAL *S-24MK1-B+C+MK2D* / ANGULAR CONTACT BALL BEARING SINGLE ROW 110X50X27 7310-B WITH PIN HOLE REF-1899 522-1 | STAL |
| | BRGSS252 | RODAMIENTO FIT STAL *S-26MK1+2B* / ANGULAR CONTACT BALL BEARING 100X45X25 7309 WITH PIN HOLE REF-1901 803-1 | STAL |
| | BRGSS253 | RODAMIENTO FIT STAL *S-26MK1+2B* / ANGULAR CONTACT BALL BEARING 120X55X29 WITH PIN HOLE REF-1901 802-1 | STAL |
| | BRGSS325 | RODAMIENTO FIT STAL *S-70* / ANGULAR CONTACT BALL BEARING 3205 25X52X20.6 REF-3922 1312 325 | STAL |
|  | BRGSS500 | KIT 4 COJINETES MACHO + HEMBRA FIT STAL *S-51+57* / SET 4 MAIN BEARING MALE + FEMALE REF-3087.010 | STAL |
| | BRGSS50006 | RODAMIENTO DE BOLAS DE CONTACT ANGULAR FIT *S-81* /ANGULAR CONTACT BALL BEARING 7312 DIA. 60X130X31 TOLERANCE CLASS PN 1512.006 + 1906 013-1+1512.008+1512.2006 | STAL |
| | BRGSS50008 | SEARCH BRGSS50006 RODAMIENTO A BOLAS FIT *S-81* / ANGULAR CONTACT BALL BEARING 7312 60/130X31 TOLERANCE CLASS PN REF-1512.008+1512.2006+1512.006+1906 013-1 | STAL |
| | BRGSS50020 | RODAMIENTOS DE RODILLOS FIT *S-89*/DEEP GROOVE BALL BEARING 190X90X43 6318 REF-1511.020+1906 658-1 | STAL |
| | BRGSS50023 | RODAMIENTOS DE RODILLOS CILÍNDRICOS FIT *S-81*/CYLINDRICAL | STAL |

| | Ralco P/N | Description | Compressor |
|---|-------------|---|------------|
| | | ROLLER BEARING 120X55X43 NU2311 C3 REF-1511.023 + 1906 011-1 | |
| | BRGSS50024 | RODAMIENTO BOLAS FIT *S-81*/CYLINDRICAL ROLLER BEARING 140X65X48 NU2313 T51G REF-1511.024 + 1906 010-2 | STAL |
| | BRGSS50080A | RODAMIENTO BOLAS FIT *S-83* / CYLINDRICAL ROLLER BEARING 75X160X55 NU2315 T51G REF-1511.026+1905 710-2+1906 009-2 | STAL |
| | BRGSS50080B | SAERCH BRG75013 RODAMIENTO BOLAS FIT ** /CYLINDRICAL ROLLER BEARING NU2312 DIA. 60X130X46 REF-1512.005 + 1905 711-1 + 534B0004H36+1513.075+1513.013 | STAL |
| | BRGSS50080C | RODAMIENTO DE BOLAS DE CONTACT ANGULAR FIT *S-83+85* / ANGULAR CONTACT BALL BEARING *7315 B-TVP* 75X160X37 REF-1512.010 + 1513.064 + 1905 712-1 + 1512.2002+534C0478H08 | STAL |
| | BRGSS50080D | SEARCH BRG0550055 - CILYNDRICAL ROLLER BEARING FIT *GSV-147+185-S-87 + SGC-233* 80X170X58 REF-1513.055 + 1905-709-1 + 51-029-2316 | STAL |
|  | BRGSS501 | COJINETE HEMBRA LADO DESCARGA FIT STAL *S-51+57* / MAIN BEARING DISCHARGE SIDE FEMALE 90X114X99.85 REF-1872 640-1 | STAL |
|  | BRGSS502 | COJINETE MACHO LADO DESCARGA FIT STAL *S-51+57* / MAIN BEARING DISCHARGE SIDE MALE 90X114X99.85 REF-1872 644-1 | STAL |
|  | BRGSS503 | COJINETE MACHO + HEMBRA LADO ASPIRACION FIT STAL *S-51+57* / MAIN BEARING SUCTION SIDE MALE + FEMALE 90X114X64.85 REF-1872-639-1 | STAL |
| | BRGSS5050 | SEARCH BRGSW204050 RODAMIENTO FIT *S-51+57 + S-81+83* / ANGULAR | STAL |

| Ralco P/N | Description | Compressor |
|--|---|------------|
| | CONTACT BALL BEARING 7313 65X140X33 N° 112 TOLERANCE CLASS PN REF-1512.2001+1512.009 + 1513.022 + 1513.043 + 1894 776-1 + 1905 713-1 | |
| BRGSS512 | KIT 4 COJINETES MACHO + HEMBRA FIT STAL *S-50 BOOSTER* / SERVICE KIT BEARINGS BOOSTER REF-3087.012 | STAL |
| BRGSS551 | RODAMIENTOS + ACCESORIOS FIT STAL *S-50* / THRUST BEARING RENOVATED REF-1874 331 AR + BR | STAL |
|  BRGSS675 | COJINETE TEFLON FIT STAL *S- 50+70+93* / TEFLON BUSHING 20.5X24.3X27.2X2/10.8 PTFE REF-1896 675-1 | STAL |
|  BRGSS700 | COJINETE MACHO + HEMBRA FIT STAL *S-70* COMUN / PLAIN MAIN BEARING MALE + FEMALE REF-1874- 921-1 | STAL |
|  BRGSS750 | **SEARCH BRGSW255050 RODAMIEN TOFIT STAL *S- 70+85+87*/ANGULAR CONTACT BALL BEARING 7317 85X180X41 TOL. PN N°88 REF-1512.011 +1513.057 +1513.071 +1513.038 +1513.051 +1906 313-1 +1894 777-1 +1512.2003 | STAL |
| BRGSS800A | RODAMIENTOS DE RODILLOS CILÍNDRICOS FIT *S-87*/CYLINDRICAL ROLLER BEARING95X200X67 NU2319 T51G REF-1511.028+1906 410-2 | STAL |
| BRGSS800B | SEARCH BRGFS50283A CYLINDRICAL ROLLER BEARING FIT STAL *S-87* REF- 1513.053 + 51-029-2320 + 1906 409-1 + 534B0004H12 | STAL |
| BRGSS800C | RODAMIENTO DE BOLAS DE CONTACT ANGULAR FIT STAL *S-87* /ANGULAR CONTACT BALL BEARING 7318 90X190X43 REF-1512.012 + 1906 413- 1+1513.056+1513P111+1512.2004 | STAL |

| Ralco P/N | Description | Compressor |
|---|--|-------------------|
| BRGSS8027 | RODAMIENTOS DE RODILLOS CILÍNDRICOS FIT *S-85*/CYLINDRICAL ROLLER BEARING NU2317 T51G + NU2317 ETVP2-C3 85X180X60 REF- 1511.027 + 1906 310-2+1906 310- 1+1513.062 | STAL |
| BRGSS8061 | RODAMIENTOS DE RODILLOS CILÍNDRICOS FIT *S-85*/CYLINDRICAL ROLLER BEARING *NU2318 ETVP2* 90X190X64 REF-1513.061 + 1906 306-1 | STAL |
| BRGSS8063 | RODAMIENTOS DE RODILLOS CILÍNDRICOS FIT *S-85*/CYLINDRICAL ROLLER BEARING *NU2314 ETVP2* 70X150X51 REF-1513.063 + 1906 311- 1+534B0004H23 | STAL |
| BRGSS89 | RODAMIENTOS DE RODILLOS CILÍNDRICOS FIT *S-89- HP*/CYLINDRICAL ROLLER BEARING 100X215X73 NU2320 T51G REF- 1511.029+1906 409-2 | STAL |
| BRGSS900 | COJINETE KIT FIT STAL *S-93* / THRUST BEARING UNIT REF-1898 243-A | STAL |
| BRGSS93 | SERVICE KIT BEARINGS STAL *S-93 B/D* REF-3084.750 | STAL |
| BRGSS9371 | COJINETE BANCADA FIT STAL *S- 93B/D* / RADIAL BEARING REF-1901 715-2 | STAL |
| BRGSSF19 | SERVICE KIT BEARING FIT STAL *C6HK / F-19-A+B+C* REF-1940 432-A | STAL |
| BRGSSR500 | SERVICE KIT BEARINGS STAL *R-5* MK1-G+H REF-1904 373-A - | STAL |
| BRGSSR501 | SERVICE KIT BEARINGS STAL *R-5* MK2 K+L+M REF-1904 373-C | STAL |
|  BRGSSR550 | PAIR TAPERED ROLLER BEARING 31307 FIT STAL *R-5-MK1+2* 35X80X21 REF- 1940 294-1 + 1902 096-1 | STAL |

| | Ralco P/N | Description | Compressor |
|---|------------------|--|-------------------|
|  | BRGSSR658 | BEARING BUSH MALE ROTOR FIT STAL *R-5-MK1* REF-1903 658-1 | STAL |
|  | BRGSSR659 | BEARING BUSH FEMALE ROTOR FIT STAL *R-5-MK1* REF-1903 659-1 | STAL |
|  | BRGSSR678 | (7) RADIAL BEARING FIT *R-57-K+L+M- MK2* REF-1905 678-1 | STAL |
|  | BRGSSR679 | (6) RADIAL BEARING FIT *R-57-K+L+M- MK2* REF-1905 679-1 | STAL |
| | BRGSSS93 | (6) RADIAL BEARING FIT *S-93 B/D* REF-1896 015-2+1896 015-1 | STAL |
|  | BRGSU000 | COJINETE BANCADA + BOMBA (PAR) FIT STAL *U* / MAIN HALF BEARING (PAIR) D = 90 N-217+251 REF- 18725921 | STAL |
| | BRGSU000X020 | COJINETE BANCADA + BOMBA (PAR) FIT STAL *U* - 0.50 / MAIN HALF BEARING (PAIR) UNDERSIZE 020 N- 217+251 REF-18725922 | STAL |
| | BRGSU000X040 | COJINETE BANCADA + BOMBA (PAR) FIT STAL *U* - 1.00 / MAIN HALF BEARING (PAIR) UNDERSIZE 040 N- 217+251 REF-18725923 | STAL |
| | BRGSU020 | KIT 2 SEMI COJINETE BIELA FIT STAL *U* / SET 2 HALF CONN. ROD BEARING D = 90 N-114 REF-18704311 | STAL |
| | BRGSU020X020 | KIT 2 SEMI COJINETE BIELA FIT STAL *U* -0.50 / SET 2 HALF CONN. ROD BEARING UNDERSIZE 020 D = 89.50 REF-18704312 | STAL |
| | BRGSU020X040 | KIT 2 SEMI COJINETE BIELA FIT STAL *U* -1.00 / SET 2 HALF CONN. ROD | STAL |

| | Ralco P/N | Description | Compressor |
|---|------------------|---|-------------------|
| | | BEARING UNDERSIZE 040 D = 89 REF-18704313 | |
|  | BRGSU030 | COJINETE PIE BIELA FIT STAL *U* / GUDGEON PIN BUSHING N-112 REF-18729411 | STAL |
| | BRKSS2206 | BRICKA FIT *S-26* REF-1906 293-1 | STAL |
| | CAGSU000 | DISCHARGE VALVE CROWN FIT STAL *U* N-419 REF-1872 522-1 | STAL |
| | CAGSU010 | DISCHARGE VALVE RETAINER FIT STAL *U* R-717 N-412A REF-18942291 | STAL |
| | CARSS2090 | CAJERA PORTA MUELLES SELLO PRENSA FIT STAL *S-24* / SPRING HOUSING SHAFT SEAL 4 HOLES REF-1903 304-1 | STAL |
| | CARSS2091 | CAJERA PORTA MUELLES SELLO PRENSA FIT STAL *S-24* / SPRING HOUSING SHAFT SEAL 4 HOLES REF-1903 309-1 | STAL |
|  | CARSS2400 | GIRANTE SELLO PRENSA FIT STAL *S-24* / ROTATING RING SHAFT SEAL NR-141 REF-1903 857-1 | STAL |
|  | CARSS2401 | CAJERA PORTA MUELLES SELLO PRENSA FIT STAL *S-24* / SPRING HOUSING SHAFT SEAL 6 HOLES NR-142 REF-1903 869-A | STAL |
|  | CARSS2402 | ARANDELA CIERRE SELLO PRENSA 2 AGUJEROS FIT STAL *S-24* / WASHER 2 HOLES SHAFT SEAL NR-143 REF-1903 861-1 | STAL |
|  | CARSS2403 | ESTACIONARIA SELLO PRENSA FIT STAL *S-24* / ONLY SEALING RING SHAFT SEAL NR-140 REF-1903 856-1 | STAL |
|  | CARSS2600 | GIRANTE SELLO PRENSA FIT STAL *S-26-MK1+2* / ROTATING RING SHAFT SEAL 50 MM REF-1903 859-1 | STAL |

| | Ralco P/N | Description | Compressor |
|--|------------------|---|-------------------|
| | CARSS2601 | CAJERA PORTA MUELLES SELLO PRENSA FIT STAL *S-26-MK1+2* / SPRING HOUSING SHAFT SEAL 6 HOLES NR-142 REF-1903 870-A | STAL |
| | CARSS2602 | ARANDELA CIERRE SELLO PRENSA 2 AGUJEROS FIT STAL *S-26-MK1+2* / WASHER 2 HOLES SHAFT SEAL NR-143 REF-1903 863-1 | STAL |
| | CARSS2603 | ESTACIONARIA SELLO PRENSA FIT STAL *S-26-MK1+2* / ONLY STATIONARY SEALING RING SHAFT SEAL NR-140 REF-1903 858-1 | STAL |
| | CARSSR000 | ROTARY RING CG-40 SHAFT SEAL FIT STAL *R-51+3+5+7+9-MK1-E+F + MK2-G+H* REF-1904 464-1 | STAL |
| | CARSSR001 | ROTARY RING SHAFT SEAL FIT STAL *R-51-MK1-D+E + R53+5+7+9-MK1-F+G* REF-1904 041-1 | STAL |
| | CARSSR002 | ROTARY RING SHAFT SEAL FIT STAL *R-51-MK1-A+B* REF-1903 810-1 | STAL |
| | CARSSR5MK2 | CARBON SELLO PRENSA FIT STAL *R-5-MK2-K+L* / STATIONARY SEAT SHAFT SEAL REF-1905 421-1 | STAL |
| | CHKSS800 | VALVULA RETENCION FIT STAL *S-85+87* / CHECK VALVE VYC TYP DN-25 3.1B REF-3951 4681 025 + 1364.197 | STAL |
| | CKSSP000 | CRANKSHAFT STAL *P* | STAL |
| | CLPSS542 | CLAMPLING RING FIT STAL REF-1894 542-1 | STAL |
| | COVSS046 | SIDE COVER CAPACITY REG. FIT STAL *R-57-M* N-19 REF-1905 046-1 | STAL |
| | COVSSR5MK2 | TAPA SELLO PRENSA FIT STAL *R-5-MK2 K+L / SPRING HOUSING SHAFT SEAL 12 HOLES REF-1905 422-1 | STAL |
| | CPLSS000 | COUPLING SLEEVE OIL PUMP FIT STAL *S-50* REF-1876 641-2 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| DRVSSR038 | DRIVER FIT STAL *R-5* REF-1904 038-1 | STAL |
| DRVSSR463 | DRIVER FIT STAL *R-5* SHAFT SEAL KIT 90 MM REF-1904 463-1 | STAL |
| DWL3X12 | PASADOR ELASTICO FIT *R-5* / COILED SPRING PIN DOWEL 3X12 DIN-7344 REF-3921 1112 206+3921 1171 206 | STAL |
| DWL3X18 | PASADOR ELASTICO FIT *R-5* / COILED SPRING PIN DOWEL 3X18 DIN-7344 REF-3921 1112 209+42-199- 0308+3921 1114 209+NE3203-018 | STAL |
| DWL3X28 | PASADOR ELASTICO FIT ** / COILED SPRING PIN DOWEL 3X28 DIN-7344 REF-3921 1112 214+3921 1171 214 | STAL |
| DWL4X12 | PASADOR ELASTICO FIT STAL *R-5* / SPRING PIN- DOWEL SLEEVE DIN 1481 4X12 REF-3921 1112 252 | STAL |
| DWL4X30 | PASADOR ELASTICO / HEAVY DUTY SPRING PIN 4X30 REF-1940 744-1 | STAL |
| DWL6X12 | PASADOR BOCK FIT *SAB-128+163+F- 3* + STAL *S-50+70* / CYLINDER ROLLER ZRO TENSION PIN DIN 1481 6X12 N-43 REF-3921 1171 335 + 05530+NE3206-012 | STAL |
| DWL6X22 | PASADOR ELASTICO FIT STAL *PMI 125X90* / COILED SPRING PIN DOWEL DIN 1481 6X22 REF-238040157 | STAL |
| DWL6X32 | PASADOR ELASTICO FIT STAL *R-5- MK1* / COILED SPRING PIN DOWEL DIN 1481 6X32 REF-3921 1112 345+1446.039+3921 1171 345 | STAL |
| FLGSS636 | WELDING FLANGE FIT STAL *S-50* REF- 1873 636-1 | STAL |
| FLRSP201 | 75X40X175 FILTER CARTRIDGE FOR OIL SEPARATO FIT STAL P2+P4-K+L* COALESCER ELEMENT 1899 820-1 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| FLRSP202 | 100X63X350 FILTER CARTRIDGE FOR OIL SEPARATOR FIT STAL P2+P4-K+L* COALESCER ELEMENT 1899 820-2 | STAL |
| FLRSS006 | 93X63X63X327 COALESCER ELEMENT FIT STAL *S-57+75* REF-1898-460-1 | STAL |
| FLRSS007_F | 203X176X13.5X300 OIL FILTER ELEMENT FIBER FIT STAL *S-50+70* 1 SIDE CLOSE 60 MYC 1.102 M2 REF-3952 6434 060 | STAL |
| FLRSS007_I | 203X176X13.5X302 OIL FILTER ELEMENT INOX FIT STAL *S-57+70* STAINLESS AISI-304 1 SIDE CLOSED 100 MYC 1.1020 M2-REF-3952 6434 060+939153 | STAL |
| FLRSS007_P | 203X176X13.5X300 OIL FILTER ELEMENT PAPER CELULOSE FIT STAL *S-50+70* 1 SIDE CLOSE 60 MYC - 3952 6434 060 | STAL |
| FLRSS010 | SEARCH FLRSS038 200X174X127X500 OIL SEPARATOR ELEMENT COALESCER FIT STAL REF-3952 6456 010 | STAL |
| FLRSS020 | 106X83X10X260 FILTER ELEMENT FIT STAL MINI *SVA-24+26-MK1+2* FF-350 G25 SIL-3 REF-3952 6451 020 + 3952 6409 020 + 3952 6451 025 | STAL |
| FLRSS020M | SEARCH FLRSS2409 - 106X83X10X260 FILTER ELEMENT FIT STAL *SVA-24+26* S-60 FF-351 SIL-2 REF-3952 6409 060 | STAL |
| FLRSS038 | 168X123X495 BRIDA DE 200 FIT STAL *S-51+57+70+80* / OIL FILTER ELEMENT WITH FLANGE D = 200 MM 1 SIDE CLOSE - 3952 6456 010 | STAL |
| FLRSS050 | 273X500 OIL SEPARATOR ELEMENT COALESCER FIT STAL *SVB-93* REF-3952 6456 020 | STAL |
| FLRSS130 | 335X238X760 OIL FILTER COALESCER ELEMENT FIT STAL *S-87 + SAB-87* | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|------------|
| | REF-1517.130 | |
| FLRSS162 | 213X150X445 COALESCER ELEMENT FIT *STAL* S REF-1898 516-2 | STAL |
| FLRSS200 | 200X175X128X445 COALESCER ELEMENT FIT *STAL* S-24+26* SIL-6 REF-1898 516-1 | STAL |
| FLRSS201 | SEARCH SKTSS006 OIL FILTER FIT STAL *S-24+26-MK1+2* REF-1905 914-A + 3952 6451 020 | STAL |
| FLRSS2409 | 106X83X260 OIL FILTER ELEMENT FIT STAL *S-24+26--S60 + R-5* SIL-2+SIL-5 REF-3952 6409 060 | STAL |
| FLRSS2452 | 106X83X260 LIQUID FILTER ELEMENT FIT STAL *S-24 + 26* STAINLESS STEEL SS-60 ONE SIDE OPEN SIL-4 REF-3952 6452 060 | STAL |
| FLRSS39526453025 | SEARCH FLR75015 - OIL FILTER ELEMENT STAL *S-80 + 83* 25 MY 3952 6453 025 | STAL |
| FLRSS415 | 76X244 FILTER DRYER DRYING FILTER FIT STAL *C-8* D=76 H=244 R12 R22 R502 REF-3952 8016 415 | STAL |
| FLRSS445 | SEARCH FLRSS446 - OIL SEPARATOR ELEMENT COALESCER OS-4000P H = 455 MM R717 STAL REF-3952 6457 445 | STAL |
| FLRSS446 | 200X173X127X445 OIL SEPARATOR ELEMENT COALESCER 1 OPEN SIDE STAL *S-24+26+S-81+87+R5 MK2* SIL- 8 REF-3952 6457 446+3952 6457 445 | STAL |
| FLRSS600 | 73X600X115X95 OIL SEPARATOR ELEMENT COALESCER D=73 H = 600 MM FIT STAL *R5* SIL-6 REF-3952 6457 600 P | STAL |
| FLRSS6407 | 106X170 FILTER CARTRIDGE STAL *S-57 T3C-120 S-120* MIC REF-3952 6407 120 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| FLRSS665 | 665X273X219X157 FILTER ELEMENT FIBER FIT STAL 1 SIDE CLOSE 1 SIDE WITH FLANGE REF-NO P/N | STAL |
| FLRSSR208 | 69X62X36X200X6 FILTRO ACEITE MINI STAL FIT *R5-MK1* / OIL FILTER REF- 1902 208-A | STAL |
| FLRSSR5MK1 | KIT FILTRO ACEITE STAL *R-5-MK1* / SERVICE KIT OIL FILTER REF-1903 850-A - GENUINE | STAL |
| FLRSSR5MK2 | 43X90X100X157 FILTRO ACEITE STAL *R-5-MK2* / OIL FILTER UNIT SIL-3 N- 16 REF-1905 048-A | STAL |
| FLRSSR5MK2_ | 43X91X100X158 KIT FILTRO ACEITE STAL *R-5-MK2+F-19* / SERVICE KIT OIL FILTER SIL-3 REF-1905 279-A | STAL |
| FLTSU000 | FELT FILTER INNER FIT STAL *U* REF- 1782 949-2 | STAL |
| FLTSU001 | FELT FILTER OUTER FIT STAL *U* REF- 1782 949-1 | STAL |
| GKTFS0101 | GASKET, COVER, 17 -3/8" OD X 16-1/2" ID, 400 PSIG DWP -FOR COALESCER FILTER *FRICK-RXF 24-50 * REF- 959B0001H01 | STAL |
| GKTFS0102 | GASKET, COVER, 17 -3/8" OD X 16-1/2" ID, 300 PSIG DWP -FOR COALESCER FILTER *FRICK-RXF 24-50 * REF- 959B0001H02 | STAL |
| GKTFS0103 | GASKET, COVER, 17 -3/8" OD X 16-1/2" ID, 400 PSIG DWP -FOR COALESCER FILTER *FRICK-RXF 12-19 * REF- 959B0001H03 | STAL |
| GKTFS0104 | GASKET, COVER, 15 -3/8" OD X 14-1/2" ID, 300 PSIG DWP -FOR COALESCER FILTER *FRICK-RXF 12-19 * REF- 959B0001H04 | STAL |
| GKTFS0503 | GASKET MANWAY MANIFOLD 10- 5/8X14 - COALESCER FILTER FRICK REF- | STAL |

| Ralco P/N | Description | Compressor |
|-----------|---|------------|
| | 531A0105H03 + 531A0105H01 | |
| GKTFS0504 | GASKET MANWAY MANIFOLD 12X16X1-1/4" - COALESCER FILTER *FRICK-399 + MYCOM * REF- 531A0105H04 + 531A0105H01 + P50840105 | STAL |
| GKTFS5410 | JUNTA FIT FRICK *XJF-120* / GASKET SUCTION RETURN 175X114X1.5 OD 6- 7/8" FOR 4"DN 100 ASME CLASS 150 FLANGE REF- 959A0066H11+959A0054H10+2354.17 9+55-057-2009 | STAL |
| GKTFS5430 | SEARCH GKT05058 JUNTA DESCARGAR FIT FRICK *SAB-193+TDSH-163* /GASKET DISCHARGE 181X114X1.5 O.D.= 7-1/8" FOR 4" DN 100 ASME CLASS 300 FLANGE REF- 959A0054H30+55-057- 1058+2356.1011 | STAL |
| GKTFS5431 | JUNTA FIT FRICK *SAB-193*/GASKET FLANGE SUCTION STRAINER O.D. 8- 1/2" 216X141X1.5 FOR 5" DN125 ASME CLASS 300 REF- 959A0054H31+1336.075 | STAL |
| GKTFS5432 | JUNTA FIT FRICK *SAB-193+233* /GASKET O.D.= 9-7/8" 251X168X1.50 FOR 6" ASME DN 150 CLASS 300 FLANGE C4430 REF-959A0054H32 + 1336.076+55-057-1060+595A0054H32 | STAL |
| GKTSP099 | GASKET FIT STAL *P2-K* N-626 REF- PA534.99A | STAL |
| GKTSP101 | GASKET FIT STAL *P2-K* N-009 REF- 1895.101.1 | STAL |
| GKTSP449 | GASKET FIT STAL *P2-K* N-011 REF- 1894.449.1 | STAL |
| GKTSP501 | GASKET FIT STAL *P2-K* N-025 REF- 1875.501.1 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| GKTSP692 | GASKET FIT STAL *P2-K* N-666 REF-1875.692.1 | STAL |
| GKTSS0281 | JUNTA STAL FIT *S-93* / RING GASKET FLAT 220X180X0.8 WITH 16 HOLES REF-1896 028-1 | STAL |
| GKTSS0421 | JUNTA STAL FIT *S-93* / GASKET FLAT 868X646X0.8 REF-1896 042-1 | STAL |
| GKTSS0431 | JUNTA STAL FIT *S-93* / GASKET REF-1896 043-1 | STAL |
| GKTSS0441 | JUNTA STAL FIT *S-93* / GASKET FLAT 618X460X0.8 REF-1896 044-1 | STAL |
| GKTSS0451 | JUNTA STAL FIT *S-93* / GASKET FLAT 360X215X0.8 REF-1896 045-1 | STAL |
| GKTSS0621 | JUNTA STAL FIT *S-93* / FULL FACE GASKET FLAT 160X121X0.8 8 HOLES REF-1896 062-1 | STAL |
| GKTSS07431 | JUNTA STAL FIT *S-93B* / GASKET FLAT 868X646X0.8 REF-1901 743-1 | STAL |
| GKTSS19054091 | SEARCH GKTSS2198 - GASKET FIT STAL *S-26* REF-1905 409-1 + 2353.198 | STAL |
| GKTSS200A | JUNTA ALUMINIO CONEXION FIT STAL *P2-K+S24+26+-51+57* / ALUM. GASKET SEALING RING SHAFT SEAL N-647 57X49X4 DN 40 NR-151 REF-3921 5211 804 | STAL |
| GKTSS2015 | FLAT FLANGE GASKET RING FIT STAL *S-24* 140X85X1.5 SIL-1 REF-1900 901-5 | STAL |
| GKTSS2018 | JUNTA DE CIRCULARFIT STAL *S-26* / FLAT FLANGE GASKET RING 204X190X1.5 SIL-1 REF-1900 901-8 | STAL |
| GKTSS201A | JUNTA ALUMINIO CONEXION FIT STAL *S-24+26+R-5* / ALUMINIUM GASKET 87X77X4 DN 65 SHAFT SEAL NR-152 REF-3921 5211 806 | STAL |

| | Ralco P/N | Description | Compressor |
|--|------------------|---|-------------------|
| | GKTSS202A | JUNTA ALUMINIO FIT STAL *S-24+26+50+R-5+STAL U*/ALUMINIUM GASKET SHAFT SEAL 120X110X4 DN80+100 NR-153 REF-3921 5211 810 | STAL |
| | GKTSS2039 | JUNTA PLANA FIT FILTER STAL *SV-24 + RV-5* / FLANGE GASKET FLAT 120X200X1 14 HOLES 200X120X1 SIL-6 REF-1920 039-1 | STAL |
| | GKTSS203A | JUNTA ALUMINIO SELLO PRENSA FIT STAL *S-26+50* / ALUMINIUM GASKET SHAFT SEAL 164X154X4 DN-125 REF-3921 5211 812 | STAL |
| | GKTSS2040 | JUNTA PLANA FIT FILTER STAL *SV-24 + RV-5* / FLANGE GASKET FLAT 113X75X2 4 HOLES SIL-6 REF-1920 040-1 | STAL |
| | GKTSS2081 | GASKET FOR COVER FIT STAL *S-26-B* 189.6X131.9X0.8 REF-1905 408-1 | STAL |
| | GKTSS2091 | GASKET FIT STAL *S-24+26* 140.5X139.59X0.8 REF-1905 309-1 | STAL |
| | GKTSS2115 | JUNTA CIRCULAR FIT STAL *S-24* / GASKET 179X161X0.8 REF-1900 901-15 | STAL |
| | GKTSS2117 | JUNTA CIRCULAR FIT STAL *S-24+26* / GASKET 106X90X0.8 SIL-4 +SIL-5 REF-1900 901-17 | STAL |
| | GKTSS2119 | GASKET FIT STAL *S-24* 142X110X1.5 NR-150 REF-1900 901-19 | STAL |
| | GKTSS2122 | JUNTA CIRCULAR SELLO PRENSA FIT STAL *S-26-MK-1+2* / GASKET SHAFT SEAL 182X150X1.5 REF-1900 901-22 | STAL |
| | GKTSS2142 | GASKET MAIN ROTOR FIT STAL *S-24* 268X152X1 REF-1903 142-1 | STAL |
| | GKTSS2161 | SEARCH GKT75260 - GASKET FIT STAL *S-24 + 26* 57.5X43X3 REF-1903 916-1 | STAL |
| | GKTSS2162 | GASKET FIT STAL *S-26* 120.5X106X3 REF-1903 916-2 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| GKTSS2163 | GASKET FIT STAL *S-26* 164.5X150X3 REF-1903 916-3 | STAL |
| GKTSS2167 | GASKET FIT STAL *S-26* 87.5X70X3 REF-1903 916-7 | STAL |
| GKTSS2195 | GASKET CONTROL VALVE 6 HOLES FIT STAL *S-24 + 26+ S-80* 100X60X0.8 REF-1905 313-1 + 2353.195 | STAL |
| GKTSS2198 | GASKET OIL PUMP FIT STAL *S-26+80* 128X132X0.8 REF-1905 409-1 + 2353.198 | STAL |
| GKTSS2199T | JUNTA TEFLON FIT STAL *S-24+81+87* / BACK UP RING SPLIT 28.6X18.6X5.9 REF-2353.199 +1905 535-1 | STAL |
| GKTSS2200 | SEARCH GKT05617 FLANGE GASKET STAL *S-24+26* 259X239X2 DIN 2691 REF-3921 5204 200 + 2356.226+55- 057-0617 | STAL |
| GKTSS2250 | JUNTA PLANA FIT STAL *SVR-24* / FLANGE GASKET FLAT 312X292X2 DIN 2691 DN 250 REF-3921 5204 250 + 2356.229+55-057-0618 | STAL |
| GKTSS2261 | JUNTA CUADRADA FIT STAL *S-24+26* / GASKET 4 HOLES 122.5X119.2X0.8 NR-156 REF-1920 226-1 | STAL |
| GKTSS2271 | GASKET ROTOR CASING FIT STAL *S- 26-MK1* 402.1X383.3X0.8 REF-1901 827-1 | STAL |
| GKTSS2281 | GASKET BODY FIT STAL *S-26* 316.91X189.69X0.8 REF-1901 828-1 | STAL |
| GKTSS2291 | GASKET FIT STAL *S-26-MK1* 328X135X0.8 REF-1901 829-1 | STAL |
| GKTSS2300 | JUNTA PLANA FIT STAL *GRASSO SCREW* / FLANGE GASKET FLAT 363X343X2 DN 300 DIN 2691 REF-3921 5204 300 + 2356.230+55-057- 0618+763008058+763000058 | STAL |

| | Ralco P/N | Description | Compressor |
|--|------------------|--|-------------------|
| | GKTSS2321 | JUNTA CIRCULAR SELLO PRENSA FIT STAL *S-24 +26* / GASKET COLLECTOR 2 HOLES SHAFT SEAL 100X68.5X0.4 NR-129 REF-1905 532-1 | STAL |
| | GKTSS2381 | JUNTA CIRCULAR FIT STAL / GASKET STAL 14 HOLES 364.5X309.1X0.8 REF-1878 338-1 | STAL |
| | GKTSS2388 | JUNTA CIRCULAR FIT STAL *S-24+26+S-81+87+R-5 MK2* / GASKET FLAT TAS 600/1000 16 HOLES 366X337X0.8 REF-1878 388-1 | STAL |
| | GKTSS2391 | GASKET FIT STAL *S-26-MK2* 22 HOLES 241X227.9X1.5 REF-1905 539-1 | STAL |
| | GKTSS2405 | GASKET ROTOR CASING FIT STAL *S-24* 310X335X0.8 REF-1905 405-1 | STAL |
| | GKTSS2412 | GASKET FIT STAL *S-24* 11 HOLES 156X116X0.8 REF-1905 412-1 | STAL |
| | GKTSS2413 | GASKET FIT STAL *S-24* 10 HOLES 116X115X0.8 REF-1905 413-1 | STAL |
| | GKTSS2537 | GASKET FIT STAL *S-24* 8 HOLES 182X110X1.5 REF-1905 537-1 | STAL |
| | GKTSS2571 | GASKET ROTOR CASING FIT STAL *S-26-MK2* 400.7X379.96X0.8 REF-1905 257-1 | STAL |
| | GKTSS2601 | GASKET ROTOR CASING FIT *S-24* 318.1X332.4X0.8 REF-1899 560-1 | STAL |
| | GKTSS2608 | JUNTA CIRCULAR FILTRO ACEITE FIT *S-26* / COVER GASKET 30X24X1 REF-3963 1119 608 | STAL |
| | GKTSS2611 | GASKET BODY FIT *S-24* 269.16X151.7X0.8 REF-1899 561-1 | STAL |
| | GKTSS2621 | GASKET 14 HOLES COVER FIT *S-24* 262.5X116.4X0.8 REF-1899 562-1 | STAL |
| | GKTSS2632 | JUNTA CIRCULAR FILTRO ACEITE STAL FIT *S26* / GASKET SEPERATOR | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|------------|
| | 200X168X2 SIL-6 REF-1903 632-1 | |
| GKTSS2737 | GASKET RECTANGULAR FIT STAL *S-24+26 +R-5* / GASKET FLAT 8 HOLES 95.5X55.2X0.8 NR-149 REF-1903 737-1 | STAL |
| GKTSS281 | JUNTA CUADRADA FIT STAL *RV-5C* / GASKET 6 HOLES 112X158X0.8 SIL-5 REF-1920 281-1 | STAL |
| GKTSS282 | JUNTA CUADRADA FIT STAL *RV-5C* / GASKET FLAT RING 54X72X0.8 SIL-5 REF-1920 282-1 | STAL |
| GKTSS2838A | SEARCH GKTSS321A - ALUMINIUM GASKET FIT *S-24+83+R-5* 28X21X1.5 REF-3921 5213 838 + 2356.321 | STAL |
| GKTSS2856A | ALUMINIUM GASKET FIT *S-24* 37X31X1 REF-3921 5213 856 | STAL |
| GKTSS321A | ARANDELA ALUMINIO FIT STAL *S-24+26+83+87* /ALUMINIUM GASKET 28X21X1.5 REF-2356.321 + 3921 5213 838+2356.136 | STAL |
| GKTSS322A | ARANDELA ALUMINIO FIT STAL *S-26+81* /ALUMINIUM RING GASKET 33X27X1.5 REF-3921 5213 851+ 2356.322 | STAL |
| GKTSS324A | SEARCH GKT70144A ALUMINIUM GASKET FIT STAL *S-87* 43X34X2.50 REF-2356.324 + 3921 5213 866 | STAL |
| GKTSS39215204040 | SEARCH GKT75220 - GASKET SUCTION FILTER FIT STAL *S-81* 61X75X2 DIN 2691 REF-2356.220 + 3921 5204 040 + 55-057-0609 | STAL |
| GKTSS39215204505 | SEARCH GKT75221 - DIN 2691 GASKET FIT STAL *S-87* REF-2356.221 + 3921 5204 505 + 55-057-0610 | STAL |
| GKTSS39215213865 | SEARCH GKT98494A - REF-3921 5213 865 | STAL |
| GKTSS39215213874 | SEARCH GKT02056A - ALUM-GASKET FIT STAL *S-70* 54X48X2 REF-3921 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| | 5213 874 | |
| GKTSS5014 | JUNTA BOMBA ACEITE FIT STAL *S-51+57* / GASKET OIL PUMP 178X0.4 REF-1894 014-1 | STAL |
| GKTSS526T | TEFLON RING OIL PRESS REGULATOR FIT *S-57* 38X28X2 REF-1875 526-2 | STAL |
| GKTSS5524 | GASKET OIL PRESS REGULATOR FIT STAL *S-57* 4 HOLES REF-1875 524-1 | STAL |
| GKTSS5559 | JUNTA CUERPO STAL FIT *S-51+57-A+F* / SET OF GASKETS REF-1895 559-1 | STAL |
| GKTSS5696 | JUNTA CUERPO STAL FIT *S-51+57-A+F* / SET OF GASKETS REF-1872 696-1 | STAL |
| GKTSS5697 | JUNTA CUERPO STAL FIT *S-51+57-A+F* / GASKETS FLAT INLET END 560X420X0.4 REF-1872 697-1 | STAL |
| GKTSS5840A | JUNTA ALUMINIO FIT *S-50* / ALU GASKET 29.5X21.5X1.5 REF-3921 5213 840 | STAL |
| GKTSS5860A | ARANDELA ALUMINIO FIT *S-51+57* / ALUM. GASKET OIL PUMP STAL 39X34X1.5 REF-3921 5213 860 | STAL |
| GKTSS5980 | GASKET FIT *S-50* 500X750X0.4 SHEET REF--1894 980-4 | STAL |
| GKTSS623A | ARANDELA ALUMINIO STAL FIT *S-26* / ALUMINIUM GASKET NRVA/15-20 32X22X2 REF-3963 1119 623 + 1377.262 + 1993.017 | STAL |
| GKTSS7158 | JUNTA CONTROL CAPACIDAD CILINDRO FIT STAL *S-70* / GASKET CAPACITY CILYNDER 10 HOLES N°105 REF-1875 158-1 | STAL |
| GKTSS730 | GASKET OIL FILTER STAL REF-1897 730-1 | STAL |

| | Ralco P/N | Description | Compressor |
|--|------------------|---|-------------------|
| | GKTSS7366 | JUNTA CONEXION STALL *S-70* / GASKET CONNECTION REF-1875 366-1 | STAL |
| | GKTSS7677 | JUNTA ROTOR STAL *S-70* / GASKET ROTOR INSPECTION N° 107 REF-1894 677-1 | STAL |
| | GKTSS7809A | LOCKING WASHER FIT STAL *S-70* 20X9X0.7MM REF-3921 5411 809 | STAL |
| | GKTSS7816 | SEARCH GKT75214A GASKET CAPACITY CYLINDER ALUMINIA FIT *S-70* 14X8X1.5 REF-3921 5213 816 | STAL |
| | GKTSS7818A | JUNTA ALUMINIO CONEXION LADO DESCARGA FIT STAL *S-50+70* / ALLUMIUM GASKET CONNECTION DISCHARGE SIDE 215X205X5 DN 175 REF-3921 5211 818 | STAL |
| | GKTSS7821A | JUNTA ALUMINIO CONEXION FIT STAL *S-93* / ALLUMIUM GASKET 240X230X5 DN-200 REF-3921 5211 821 | STAL |
| | GKTSS7826A | JUNTA ALUMINIO CONEXION LADO ASPIRACION FIT STAL *S-70* / ALLUMIUM GASKET CONNECTION SUCTION SIDE 295X283X5 DN 250 REF- 3921 5211 826 | STAL |
| | GKTSS7839A | JUNTA ALUMINIO CONEXION FIT STAL *S-93* / ALLUMIUM GASKET 429X415X5 DN-400 REF-3921 5211 839 | STAL |
| | GKTSS7852A | ***SEARCH GKT70140A***ALU GASKET FIT STAL *S-70* 35X27X1.50 REF- 39215213852 | STAL |
| | GKTSS7940 | JUNTA ROTOR STAL *S-70* / GASKET ROTOR INSPECTION N° 98 REF-1874 940-1 | STAL |
| | GKTSS7941 | JUNTA CONTROL CAPACIDAD CILINDRO FIT STAL *S-70* / GASKET CAPACITY CILYNDER N° 99 REF-1874 941-1 | STAL |

| | Ralco P/N | Description | Compressor |
|--|------------------|---|-------------------|
| | GKTSS7942 | JUNTA ROTOR STAL *S-70* / GASKET ROTOR INSPECTION N° 100 REF-1874 942-1 | STAL |
| | GKTSS7943 | JUNTA ROTOR STAL *S-70* / GASKET ROTOR INSPECTION N° 101 REF-1874 943-1 | STAL |
| | GKTSS7944 | JUNTA TAPA SELLO PRENSA FIT STAL *S-50* / GASKET SHAFT SEAL N° 103 REF-1874 944-1 | STAL |
| | GKTSS7947 | JUNTA ROTOR STAL *S-70* / GASKET ROTOR INSPECTION N° 104 REF-1874 947-1 | STAL |
| | GKTSS802A | JUNTA ALUMINIO CONEXION FIT STAL *S-93* / ALUM. GASKET SEALING RING 50X40X4 DN-25 REF-3921 5211 802 | STAL |
| | GKTSS8065 | SEARCH GKT75260 - GASKET FIT STAL *S-87+R-5* 57X42X1.50 REF-2356.065 + 3921 5204 025 | STAL |
| | GKTSS8108 | GASKET *S-81* VI CYLINDER REF-3044.058-T + 1906 058-1 | STAL |
| | GKTSS819 | GASKET OIL FILTER STAL *S-50/70* S-UNIT 340X274X0.8 FLAT GASKET FULL FACE FLANGE WITH 16 HOLES REF-1897 819-1 | STAL |
| | GKTSS8191 | GASKET BODY FIT STAL *S-87* 669X536X0.8 REF-2353.191 + 1906 407-1 | STAL |
| | GKTSS8192 | GASKET BODY FIT STAL *S-87* 536X322X0.8 REF-2353.192 + 1906 421-1 | STAL |
| | GKTSS8193 | GASKET SHAFT SEAL FIT *S-80* 4 HOLES 150X115X0.8 REF-1906 424-1 + 2353.193 | STAL |
| | GKTSS8194 | GASKET FIT STAL *S-87* 14 HOLES 220X160X0.8 REF-2353.194 + 1906 460-1 | STAL |

| | Ralco P/N | Description | Compressor |
|--|------------------|---|-------------------|
| | GKTSS8196 | GASKET ROUND FIT STAL *S-87* 288X210X1.5 REF-2353.196 +1906 462-1 | STAL |
| | GKTSS8197 | GASKET RECTANGULAR 18 HOLES FIT STAL *S-80* 255.5X210X0.8 REF-1906 473-1 + 2353.197 | STAL |
| | GKTSS8200T | JUNTA TEFLON FIT *S-80* / BACK UP RING 38.3X28.3X5.9 REF-2353.200 + 1905 535-2 | STAL |
| | GKTSS8201 | GASKET *S-85* REF-2353.201 + 1906 307-1 | STAL |
| | GKTSS8202 | GASKET *S-85* VI CYLINDER REF- 2353.202 + 1906 360-1 | STAL |
| | GKTSS8203 | GASKET *S-85* SUCTION FILTER REF- 2353.203 + 1906 362-1 | STAL |
| | GKTSS8204 | GASKET *S-85* BEARING COVER REF- 2353.204 + 1906 321-1 | STAL |
| | GKTSS8205 | JUNTA PLANA FIT STAL *S-89*/ GASKET FLAT S89 746X612X0.8 REF-1906 507-1 + 2353.205 | STAL |
| | GKTSS8206 | GASKET ROTOR STAL FIT STAL *S-89* 587X369X0.8 REF-1906 521-1 + 2353.206 | STAL |
| | GKTSS8207 | GASKET 6 HOLES OIL COLLECTOR FIT STAL *S-89* 121X165X0.4 REF-1906 524-1 + 2353.207 | STAL |
| | GKTSS8208 | GASKET VI CILYNDER 15 HOLES FIT STAL *S-89* 250X185X0.8 REF-1906 560-1 + 2353.208 | STAL |
| | GKTSS8209 | JUNTA FIT STAL *S-89*/ GASKET FLAT RING SUCTION FILTER S89 329X255X1.5 REF-1906 562-1 + 2353.209 | STAL |
| | GKTSS8210 | JUNTA CUERPO FIT STAL *S-83* / GASKET BODY 572X550X0.8 REF- 2353.210 - 1905 707-1 | STAL |

| | Ralco P/N | Description | Compressor |
|--|------------------|---|-------------------|
| | GKTSS8211 | JUNTA CIRCULAR FIT STAL *S-83* / GASKET VI CILYNDER 14 HOLES 140.5X190.5 REF-2353.211 + 1905 760- 1 | STAL |
| | GKTSS8212 | JUNTA CIRCULAR FIT STAL *S-83* / GASKET CIRCULAR SUCTION FILTER 165X229 REF-2353.212 + 1905 762-1 | STAL |
| | GKTSS8213 | JUNTA RECTANGULAR FIT STAL *S- 81+83* / GASKET INSPECTION COVER 18 HOLES 290X172X0.8 REF-2353.213 + 1905 773-1 | STAL |
| | GKTSS8214 | JUNTA TAPA COJINETE FIT STAL *S-83* / GASKET BEARING COVER REF- 2353.214 + 1905 721-1 | STAL |
| | GKTSS8215 | JUNTA TAPA SELLO PRENSA FIT *S- 81+83* / GASKET SHAFT SEAL COVER 4 HOLES 90X130X0.3 REF-2353.215 + 1905 724-1 | STAL |
| | GKTSS8216 | GASKET BODY FIT STAL *S-81* 527X502X0.8 REF-2353.216 + 1906 007-1 | STAL |
| | GKTSS8217 | GASKET BODY FIT STAL *S-81* 385X235X0.8 REF-2353.217 + 1906 021-1 | STAL |
| | GKTSS8219 | GASKET FIT STAL *S-81* 13 HOLES 115X165X0.8 REF-2353.219 + 1906 060-1 | STAL |
| | GKTSS8220 | JUNTA CIRCULAR FIT STAL *S-81* / ROUND GASKET SUCTION FILTER 199X130X1.5 REF-2353.220 + 1906 062-1 | STAL |
| | GKTSS8225 | SEARCH GKT05615 - GASKET FIT STAL *S-87* 183X203 DIN 2691 REF- 2356.225 + 3921 5204 150 + 55-057- 0615 | STAL |
| | GKTSS8226 | SEARCH GKT05617 GASKET ROUND FIT STAL *S-87* 259X239X2 DIN 2691 REF- | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| | 2356.226 + 3921 5204 200 + 55-057-0617 | |
| GKTSS8927 | SEARCH GKT70124A - ALUMINIUM GASKET FIT STAL *S-81+87+R-5* 21X14X1.50 REF-3921 5213 927 | STAL |
| GKTSS956 | GASKET FIT STAL *S-70* REF-3921 5213 956 | STAL |
| GKTSS956A | ALUM. GASKET FIT STAL *S-93* 38X31X1.5 REF-3921 5213 956 | STAL |
| GKTSSF253 | GASKET FLAT FIT STAL *F-19* 145X98X0.8 6 HOLES REF-1906 253-1 | STAL |
| GKTSSR009 | JUNTA PLANA FIT STAL *R-5+F-19* / GASKET FLAT SQUARE 100X100X0.8 REF-1903 009-1 | STAL |
| GKTSSR011 | JUNTA PLANA FIT STAL *R-5+F-19* / GASKET FLAT HEAD COVER 229.6X210.6X0.8 REF-1903 011-1 | STAL |
| GKTSSR036 | OVAL GASKET FIT STAL *R-5*-88.5X45.5X0.8 REF-1905 036-1 | STAL |
| GKTSSR038 | (73) GASKET FLAT FIT STAL *R-5* 146.25X84.75X0.8 REF-1905 038-1 | STAL |
| GKTSSR040 | JUNTA BLOQUE STAL FIT *R-5-MK2* / GASKET FLAT 275.5X269.25X0.8 REF-1905 040-1 | STAL |
| GKTSSR081 | JUEGO VARIOS ESPESORES JUNTA BLOQUE DESCARGA FIT STAL *R-5-MK2* / GASKET DISCHARGE END SEVERAL THICKNESS REF-1905 081 | STAL |
| GKTSSR081_01 | GASKET DISCHARGE END FIT STAL *R-5-MK2* E = 0.3 MM REF-1905 081-A1 | STAL |
| GKTSSR081_03 | GASKET DISCHARGE END FIT STAL *R-5-MK2* E = 0.3 MM REF-1905 081-A1 | STAL |
| GKTSSR081_05 | GASKET DISCHARGE END FIT STAL *R-5-MK2* E = 0.5 MM REF-1905 081-A1 | STAL |

| | Ralco P/N | Description | Compressor |
|--|------------------|---|-------------------|
| | GKTSSR081_07 | GASKET DISCHARGE END FIT STAL *R-5-MK2* E = 0.7 MM REF-1905 081-A1 | STAL |
| | GKTSSR081_09 | GASKET DISCHARGE END FIT STAL *R-5-MK2* E = 0.9 MM REF-1905 081-A1 | STAL |
| | GKTSSR081_11 | GASKET DISCHARGE END FIT STAL *R-5-MK2* E = 1.1 MM REF-1905 081-A1 | STAL |
| | GKTSSR148 | JUNTA BLOQUE STAL FIT *R-5-MK2* / GASKET FLAT 126X221X0.8 REF-1905 148-1 | STAL |
| | GKTSSR149 | JUNTA CIRCULAR 8 AGUJEROS STAL FIT *R-5* / GASKET FLAT 60X22X0.8 REF-1905 149-1 | STAL |
| | GKTSSR165 | GASKET FLAT FIT STAL *R-5* 100X80X0.8 6 HOLES REF-1905 165-1 | STAL |
| | GKTSSR166 | (75) GAKET FLAT FIT STAL *R-5* 100X94.5X0.8 4 HOLES REF-1905 166-1 | STAL |
| | GKTSSR167 | (74) JUNTA BRIDA RECTANGULAR 4 HOLES FIT STAL *R-5* GASKET FLAT 80X70X0.8 REF-1905 167-1 | STAL |
| | GKTSSR173C | JUNTA COBRE FIT STAL *R-5* / GASKET CU 22X10.5X2 REF-3921 5212 173 | STAL |
| | GKTSSR209 | JUNTA FIT STAL *R-5* / GASKET FLAT 100X96X0.8 4 HOLES REF-1902 209-1 | STAL |
| | GKTSSR223 | (77) JUNTA BLOQUE SELLO FIT STAL *R-5* / GASKET FLAT 379X357.5X0.8 REF-1902 223-1 | STAL |
| | GKTSSR285 | (78) JUNTA CIRCULAR FIT STAL *R-5* / GASKET FLAT SUCTION FILTER 115X174X1 16 HOLES REF-1905 285-1 | STAL |
| | GKTSSR351 | (79) JUNTA CIRCULAR FIT STAL *R-5-MK2 + F-19+A+B+C* / GASKET FLAT OIL FILTER 92X98X0.8 REF-1905 351-1 | STAL |
| | GKTSSR565 | JUNTA CIRCULAR FIT STAL *S-24+26+R-5* / GASKET FLAT 186X137X1 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| | 12 HOLES SIL-2+SIL-5+SIL-4 REF-1900 565-1 | |
| GKTSSR5MK2 | JUNTA TAPA SELLO FIT STAL *R-5 MK2* / WASHER 4 HOLES REF-1905 424-1 | STAL |
| GKTSSR620 | JUNTA BLOQUE STAL FIT STAL *R-5* / GASKET FLAT 269.25X275.75X0.8 REF- 1905 620-1 | STAL |
| GKTSSR737 | SEARCH GKTSS2737 - JUNTA RECTANGULAR FIT STAL *S-2 + R-5* / GASKET FLAT RVR 95X54.5X0.8 8 HOLES REF-1903 737-1 | STAL |
| GKTSU000A | JUNTA ALUMINIA GRIFO ASPIRACION FIT STAL *U-8* / ALLUMINIUN GASKET SUCTION SHUT OFF 182X192X4 DN- 150 REF-3921 5211 815 | STAL |
| GKTSU159 | SEARCH GKTMA122 - JUNTA CIRCULAR FIT STAL *U-4* 48X36X1.5 REF-P46 159A | STAL |
| GKTSU179CU | ARANDELA COBRE FIT SYAL *U* / COPPER WASHER 22X13.5X2 REF-3921 5112 179 | STAL |
| GKTSU185CU | ARANDELA COBRE FIT STAL *U-8* / WASHER COPPER 26X17X2 REF-3921 5212 185 | STAL |
| GKTSU200CU | ARANDELA COBRE FIT STAL *U-8* / WASHER COPPER 40X27X2 REF-3921 5212 200 | STAL |
| GKTSU211 | JUNTA COLECTOR LADO SELLO FIT STAL *U* / GASKET FLAT MANIFOLD SHAFT SEAL SIDE 309X685X0.8 REF- 1875 211-1 | STAL |
| GKTSU252 | JUNTA TAPA DESCARGADOR EN COLECTOR BOMBA FIT STAL *U* / GASKET FLAT TRIANGLE 136X136X0.8 3 HOLES REF-1873 252-1 | STAL |
| GKTSU253 | JUNTA FIT STAL *U* / GASKET FLAT 158.5X145X0.8 REF-1973 253-1 | STAL |

| | Ralco P/N | Description | Compressor |
|--|------------------|---|-------------------|
| | GKTSU271 | JUNTA BOMBA ACEITE FIT STAL *U* / GASKET OL PUMP N-530 REF-18762711 | STAL |
| | GKTSU545 | JUNTA GOMA CABEZAL AGUA FIT STAL *U* / RUBBER GASKET 286X476X1 N-34 REF-18725451 | STAL |
| | GKTSU546 | JUNTA CULATA FIT STAL *U* / GASKET CYLINDER HEAD 476X286X0.8 N-32 REF-1872 546-1 | STAL |
| | GKTSU559 | JUNTA PALIER LADO BOMBA FIT STAL *U* / GASKET BEARING SHIELD 352X0.8 N-26 REF-18725591 | STAL |
| | GKTSU561 | JUNTA COLECTOR LADO BOMBA FIT STAL *U* / GASKET FLAT MANIFOLD OIL PUMP SIDE 307X685X0.8 REF-1875 561-1 | STAL |
| | GKTSU570 | JUNTA CIRCULAR 12 AGUJEROS FIT STAL *U* TYPE C+D / GASKET FLAT 195X0.8 12 HOLES REF-1876 570-1 | STAL |
| | GKTSU596 | JUNTA TAPA LATERAL REGISTRO FIT STAL *U* / GASKET INSPECTION COVER 426X216X0.8 N-30 REF-1872 596-1 | STAL |
| | GKTSU622 | JUNTA SELLO PRENSA FIT STAL *U* / GASKET SHAFT SEAL 108.5X123X0.8 N- 241 REF-1870 622-1 | STAL |
| | GKTSU627 | JUNTA OVALADA GRIFO FIT STAL *U* / GASKET OVAL 92X50X0.8 REF-1870 627-1 | STAL |
| | GKTSU657 | JUNTA FILTRO ACEITE FIT STAL *U* / GASKET OIL STRAINER SHUTTER 77X55X08 N-42 REF-1870 657-1 | STAL |
| | GKTSU739 | JUNTA CIRCULAR 4 AGUJEROS FIT STAL *U* / GASKET 4 HOLES REF-1873 739-1 | STAL |
| | GKTSU802CU | ARANDELA COBRE FIT STAL *U* / COPPER WASHER 24X16.5X3 REF-3921 5122 802 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| GKTSU842 | JUNTA CIRCULAR 7 AGUIJEROS FIT STAL *U* / GASKETFLAT 164X164X0.8 REF-1874 842-1 | STAL |
| GKTSU998 | JUNTA PENTAGONAL FIT STAL *U* / GASKET FLAT 5 HOLES 278X184X0.8 REF-1872 998-1 | STAL |
| GUDSSR000 | SEAT HOLDER FIR STAL *R-5-MK2-P* SHAFT SEAL REF-3026.058 | STAL |
| GUDSSR001 | CARRIER FIT STAL *R-5-MK2-P* SHATF SEAL REF-3026.059 | STAL |
| HLDSSR000 | SEAT HOLDER FIT STAL *R-59-M* REF-1940 559-1 | STAL |
| HSGFS151 | KIT RETRO FIT PRELOAD *XJS-151* 534B 1219 G01 * GENUINE ITEM* | STAL |
| KEY14X9X45 | CHAVETA OVALADA / PARARELL KEY 14X9X45 DIN 6885A REF-3921 5711 501 | STAL |
| KEY14X9X50 | CHAVETA OVALADA / PARARELL KEY 14X9X50 DIN 6885A REF-3921 5711 50 | STAL |
| KEYFS6204 | KEY SQUARE FIT *FRICK-399* REF-534A0662H04 - GENUINE ITEM | STAL |
| KEYSSR000 | CHAVETA EJE FIT STAL *R-5* / PARALLEL KEY 14X9X50 REF-1901 815-2 + 3921 5711 501 | STAL |
| KITFS702 | KIT RETEN FIT FRICK *SAB-193 + GSV-263* / RING PISTON SEAL GLYD 6.00 ISP-150X140.2X7.6+ORING REF-534C0187H02EU# | STAL |
| KITSP002 | JUNTAS STAL *P-2* / GASKET SET | STAL |
| KITSP008 | JUEGO JUNTAS FIT STAL *P-8* / GASKET SET | STAL |
| KITSS224B | JUEGO JUNTAS PARCIAL FIT STAL *S-24-MK1-B+C*/ PARTIAL SET OF GASKETS REF-1903 150-B | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| KITSS224D | JUEGO JUNTAS FIT STAL *S-24-MK2-D* /SET OF GASKETS REF-1903 150-D# | STAL |
| KITSS226MK1 | JUEGO DE JUNTAS FIT STAL *S-26- MK1* /SET OF GASKETS REF-1904 530- A# | STAL |
| KITSS226MK2 | JUEGO DE JUNTAS FIT STAL *S-26B- MK2* /SET OF GASKETS REF-1904 530- B# | STAL |
| KITSS500 | JUEGO JUNTAS STAL FIT *S-51+57- A+F* / SET OF GASKET REF-1895 040- A# | STAL |
| KITSS5393 | JUEGO JUNTAS STAL FIT *S-51+57* /SET OF GASKET OIL PUMP REF-1894 393-A# | STAL |
| KITSS5797 | JUEGO JUNTAS STAL FIT *S-50* /SET OF GASKET CONNECTIONS REF- 3084.797+3184.429# | STAL |
| KITSS700 | JUEGO JUNTAS STAL FIT *S-70* / SET OF GASKET REF-1894 989-A# | STAL |
| KITSS81 | JUEGO JUNTAS FIT STAL *S-81* /GASKET SET REF-3084.704 + 1906 033-A# | STAL |
| KITSS83 | JUEGO JUNTAS FIT STAL *S-83* / GASKET SET REF-3084.703 + 1905 733- A # | STAL |
| KITSS85 | JUEGO JUNTAS STAL FIT *S-85* / SET OF GASKET REF-3084.702+1906 333- A+3084.702.1 | STAL |
| KITSS87 | JUEGO JUNTAS STAL FIT *S-87* / SET OF GASKET REF- 3084.701+3084.701.1+3084.789+1906 433-A | STAL |
| KITSS89 | JUEGO JUNTAS STAL FIT *S-89* / SET OF GASKET REF-3084.700+1906 533- A+3084.779 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| KITSS93 | JUEGO JUNTAS STAL FIT *S-93* / GASKET SET CONNECTION REF- 3084.758 | STAL |
| KITSS9593 | JUEGO JUNTAS GEN.B STAL FIT *S-93* / GASKET SET GEN B REF-3084.593 | STAL |
| KITSSF19 | GASKET SET FIT STAL *F-19-A+B+C- C6HK + R-5* REF-1940 433-A | STAL |
| KITSSR081 | JUEGO DE JUNTAS FIT STAL *R-5- MK2*/GASKET SET DISCHARGE END (UPDATED) REF-1905 081-A1 | STAL |
| KITSSR118 | JUEGO JUNTAS STAL FIT *R-5-MK1* /GASKET SET DISCHARGE END (UPDATED) REF-1903 118-A1 | STAL |
| KITSSR280 | GASKET SET FIT STAL *R-5-MK2 G+M* REF-1905P280-A+1905 280-A# | STAL |
| KITSSR50 | JUEGO JUNTAS STAL FIT *F19- A+B+C+R-53+5+7+9-A+B+C+D* /GASKET SET REF-1904 374-A | STAL |
| KITSSR5MK2 | SEARCH KITSSR280 SET GASKET FIT STAL *R-5-MK2 G+M* REF-1905P280- A+1905 280A | STAL |
| KITSSR853 | JUEGO JUNTAS FIT STAL *R-5 + F-19* SIL-3 /GASKET KIT FOR OIL FILTER REF- 3084.853 | STAL |
| KITSU004 | JUEGO JUNTAS SOLO STAL *U-4* / GASKET SET W/O O-RINGS 4 CYL. REF- 1894 349-C (NOT INCLUDED:1870 626- 1+1872 594-1+1872 924-1+1873 990- 1+1873 992-1+1873 993-1+1875 283- 1+1875 551-1+1876 271-1+1894 453-1 | STAL |
| KITSU008 | JUEGO JUNTAS SOLO FIT STAL *U-8* / GASKET SET W/O O-RINGS REF-1894 350-C (GASKETS NOT INCLUDED: 1872 508-1+1874 047-1+1874 834-1+1875 866-1+1875 867-1+1876 271-1 | STAL |
| LCKMB17 | ARANDELA ESTRIADA SEGURIDAD RODAMIENTO *250+S-70+WRV- | STAL |

| Ralco P/N | Description | Compressor |
|-------------|---|------------|
| | 255+S+R* / LOCK WASHER THRUST BEARING MB17 85X1.75 NG3200-17 + 39215441817 + Q4506+543698006 | |
| LCKMS250046 | (S64-84)ARANDELA SEGURIDAD TORNILLO TAPA RODAMIENTO AXIAL *S-50* / LOCK WASHER GLAND BOLT M16 WCS0460-F + 1872 057-1 | STAL |
| LCKNL08 | ARANDELA DE SEGUIRDADA NORD-LOCK BLOCAJE PLATO STAL *R-5* / NORD-LOCK WASHER M8 8.3X14X2.5 REF-3921 5415 165+1113402+1139400 | STAL |
| LCKNL10 | ARANDELA DE SEGUIRDADA NORD-LOCK BLOCAJE PLATO FIT STALL *F-19+5HP* /NORD-LOCK WASHER 10.4X16.5X2.5 REF-3921 5415 173+1139500 | STAL |
| LCKSS468 | LOCKING WIRE 0.70MMX20M FIT *STAL S-50* REF-1894 468-B | STAL |
| LCKSS567 | LOCKING PLATE FIT STAL *S-50* HOUSING BEARING SLEEVE REF-1874 567-1 | STAL |
| LCKSS568 | LOCKING PLATE FIT STAL *S-50* HOUSING BEARING SLEEVE REF-1874 568-1 | STAL |
| LCKSS643 | LOCKING PLATE FIT STAL *S-50* 45X33 REF-1876 643-1 | STAL |
| LCKSS7057 | SEARCH LCKMS250046 - LOCKING WASHER FIT STAL *S-50+70* REF-1872 057-1 | STAL |
| LCKSS7282 | LOCKING PLATE FIT STAL *S-70* REF-1876 282-1 | STAL |
| LCKSS805 | LOCK WASHER FIT STAL *S-70* REF-3921 5441 805 | STAL |
| LCKSS813 | SEARCH LCKKM13 - LOCKING NUT FIT *S-50* M65X2 REF-3921 2641 813 | STAL |
| LCKSSR000 | LOCKING SOCKET SET SCREW CUP POINT FIT STAL *R-5* M4X4 12.9 REF- | STAL |

| Ralco P/N | Description | Compressor |
|-----------|---|------------|
| | 3921 2242 283 | |
| LCKSU010 | LOCKING PLATE FIT STAL *U* 6 TANGS REF1870 430-1 | STAL |
| LCKSU430 | LOCKING PLATE CONN ROD BOLT FIT STAL *U* N-116 REF-18704301 | STAL |
| LIPFS151 | LIP SEAL SHAFT SEAL FIT *FRICK- 151+SAB-151* REF- 534B2065H01+333Q0000910 | STAL |
| LIPFS151O | SEARCH LIPFS151 LIP SEAL SHAFT SEAL FIT *FRICK-151+SAB-151* 2-1/4" REF- 333Q0000910 | STAL |
| LNRP948 | SLEEVE FIT STAL *P* REF-1874 948-1 | STAL |
| LNRSP000 | CYLINDER LINER STAL *P* | STAL |
| LNRSS500 | SOLO PORTA RODAMIENTOS FIT STAL *S-50* / BEARING SLEEVE HOUSING DIA. 219X99X95 ONLY N° 62 REF-1872 666-A | STAL |
| LNRSS501 | SOLO PORTA RODAMIENTOS FIT STAL *S-50* / BEARING SLEEVE HOUSING DIA. 219X99X95 ONLY REF-1872 664-A | STAL |
| LNRSS550 | CAMISA PORTA RODAMIENTOS + 2 RODAMIENTOS FIT *S-50* / THRUST BEARING REF-1874 331-A | STAL |
| LNRSS551 | CAMISA PORTA RODAMIENTOS + 2 RODAMIENTOS FIT *S-50* / THRUST BEARING REF-1874 331-B | STAL |
| LNRSSR808 | STAL SLEEVE FIT *R-5 MARK 1 REF- 1903-808-3 | STAL |
| LNRSU000 | CAMISA CILINDRO FIT STAL *U* / CYLINDER LINER N-77 REF-18704502 | STAL |
| LVL45R33 | CONTROL DE NIVEL DE ACEITE / OIL LEVEL SWITCH FIT GRASSO SCREW *GENUINE* REF-VHS02M03173R33 | STAL |
| LVLSS000 | LEVEL SWITCH FIT STAL *R-57-M* N-18 REF-1904 675-1 | STAL |

| | Ralco P/N | Description | Compressor |
|--|------------------|---|-------------------|
| | LVLSS001 | LEVEL SWITCH FIT STAL *S-24+26 + S-81+83* REF 3966 4052 655 + 1553.255 - GENUINE ITEM | STAL |
| | NPL6X1!4 | STRAIGHT NIPPLE MALE STUD COUPLING D= 6 X 1/4 NPT REF-1349.055 + 3951 3041 802 + 3951 3042 802 | STAL |
| | NUTBHM16 | TUERCA SEGURIDAD RODAMIENTO FIT *SGC-193 + 233* / NUT SELF LOCKING BHM16 BH16 PN16 M80X2 534B0909H05 | STAL |
| | NUTBHM19 | TUERCA SEGURIDAD RODAMIENTO FIT *NGC-400+500* / NUT SELF LOCKING BHM19 BH19 PN19 534A0035H09 | STAL |
| | NUTFS7201 | LOCK NUT FIT *FRICK-399 + SAB-283* 1-1/2" - 12 UNF- 3B REF-534A0772H01 | STAL |
| | NUTSS128 | NEX CASTLE NUT FIT STAL *S-93* M24 DIN-935 8FZB REF-3921 5421 128 | STAL |
| | NUTSS740 | LOCKING NUT FIT STAL *S-93* REF-1901 740-A | STAL |
| | NUTSS900 | LOCKING NUT FIT STAL *S-93* REF-3921 2950 900 | STAL |
| | NUTSU108 | DISCHARGE VALVE PLATE SELF LOCKING NUT FIT STAL *U* UNF 3/4 INX16.3 N-405 REF-39212975108 | STAL |
| | PINC10X80 | PARALLEL PIN FIT *S-81* 10X80MM REF-1445.080 | STAL |
| | PINC10X90 | PARALLEL PIN FIT *S-81* 10X90MM REF-1445.090 | STAL |
| | PINC12X36 | PASADOR CILINDRICO FIT *GRASSO V+W+Y* / BOOSTER,HEAT PUMP PIN CYLINDER - PIN DOWEL M6 12X36 DIN 6325 N-22 REF-547810496 | STAL |
| | PINC12X45 | PASADOR CILINDRICO FIT *TDSH-193+283* / PIN CYLINDER - PIN | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| | DOWEL M6 12X45 DIN 6325 REF-534A0037H08 | |
| PINC3X10 | PASADOR CILINDRICO / CILINDRICAL PIN 3X10 3921 1151 234 | STAL |
| PINC3X16 | PASADOR CILINDRICO / CILINDRICAL PIN 3X16 UNI-1707 3921 1155 236+238010038 | STAL |
| PINC3X6 | PARALLEL PIN FIT *S-24* 3X6 MM REF-3921 1151 231+42-215-1065 | STAL |
| PINC4X14 | PASADOR FIT *GRASSO 12E H3* CYLINDER AND VALVE-LIFTING MECHANISM / CILINDRICAL PIN 4X14 6M REF: 1446.041+3921 1312 253 | STAL |
| PINC5X16 | PASADOR CILINDRICO FIT *TDSH-193+283* / PIN CYLINDER - PIN DOWEL M6 5X16 DIN 6325 REF-534A0037H03 | STAL |
| PINC6X60 | PASADOR CILINDRICO FIT STAL *S-50* / PARARELL PIN 6X60 DIN 6325 REF-3921 1155 369 | STAL |
| PINSP000 | BULON PISTON FIT *P-4+6+8* / PISTON PIN 24X17.8X64.9 | STAL |
| PINSP001 | BULON PIN FIT STAL *P-22+24*/ PISTON PIN 16X10.2X39.4 MM | STAL |
| PINSS2200 | SEARCH PINC5X25 BULON PIN SELLO PRENSA FIT *S-24+26* / GROOVED PIN SHAFT SEAL 5X25 NR-144 REF-3921 1313 259 | STAL |
| PINSS232 | PARALLEL PIN SHAFT SEAL FIT STAL REF-3921 1151 232 | STAL |
| PINSS353 | SEARCH PINC6X20 - CILYNDRICAL PIN UNHARDENED FIT *S-50* 6X20 REF-3921 1155 353 + 42-201-8189 | STAL |
| PINSS451 | CILYNDRICAL PIN UNHARDENED FIT *S-93* REF-1878 645-1 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| PINSSR5700 | BULON SELLO PRENSA FIT STAL *R-57-MK2-K+L* / PIN SHAFT SEAL REF-1905 423-1 | STAL |
| PINSU000 | BULON PISTON FIT STAL *U* / PISTON PIN N-130 REF-1870 448-1 | STAL |
| PINSU206 | SEARCH DWL3X12 - PASADOR SEGURIDAD PLATO ASPIRACION FIT STAL *U* / TENSION ROLL PIN 3X12 N-5 REF-39211171206 | STAL |
| PINSU517 | CONTROL PIN SUCTION VALVE PLATE FIT STAL *U* N-3 REF-18725171 | STAL |
| PKNSS630 | PAKNING 43X10 RULON LD FIT STAL REF-1886 630-13 | STAL |
| PLTSP000 | VALVE PLATE ASSY. STAL *P* | STAL |
| PLTSP009 | VALVE PLATE SET ASSY FIT STAL *P2CD* REF-1894444B | STAL |
| PLTSP020 | INTERMEDIA PLATE STAL *P2-K* N-301 REF-18953061 | STAL |
| PLTSU000 | SUCTION VALVE PLATE COMPLETE FIT STAL *U* NEW VERSION REF-1874018D | STAL |
| PLTSU002 | SUCTION VALVE SEAT STAL FIT *U* D = 126.87 NEW VERSION REF-18740041 | STAL |
| PLTSU003 | SUCTION VALVE LEAF CROWN FIT STAL *U* INTERNAL CLAMPING STRIP REF-1873995A | STAL |
| PLTSU010 | DISCHARGE VALVE COMPLETE FIT STAL *U* R-22 NEW VERSION REF-1894265A | STAL |
| PLTSU013 | DISCHARGE VALVE COMPLETE FIT STAL *U* R-717 REF-1894550A | STAL |
| PLU1!2N | TAPON MACHO CON CABEZA HEX. FIT *S-50* / HEX. HEAD PIPE PLUG 1/2" NPTF REF-3951 3151 808 | STAL |
| PLU3!8N | TAPON MACHO CON CABEZA HEX. FIT *S-50* / HEX. HEAD PIPE PLUG 3/8" | STAL |

| Ralco P/N | Description | Compressor |
|-------------|--|------------|
| | NPTF REF-3951 3151 806 | |
| PLUA1-1!16F | TAPON MACHO ALLEN CON CABEZA REDONDA CON JUNTA FIT *NGC-400* / HOLLOW HEX. PLUG STRAIGHT WITH RIM THREAD1-1/16"-12 UNF-2A O-RING REF-944A0228H08+46-152-2003 | STAL |
| PLUA1-1!2N | TAPON MACHO ALLEN CONICO 1-1/2 ROSCA NPTF FIT *NGC-400* / HOLLOW HEX. PIPE PLUG 1-1/2"X1/2-11 NPTF REF-944A0008H08 | STAL |
| PLUA1-1!4N | TAPON MACHO ALLEN CONICO 1-1/4 ROSCA NPTF FIT *NGC-400* / HOLLOW HEX. PIPE PLUG 1-1/4"X1/2-11 NPTF REF-944A0008H07 | STAL |
| PLUA1!2F | TAPON MACHO ALLEN CON CABEZA REDONDA CON JUNTA FIT *NGC-400* / HOLLOW HEX. PLUG STRAIGHT WITH RIM THREAD 1/2"-20 UNF-2A O-RING REF-46-152-2199 | STAL |
| PLUA1!2N | TAPON MACHO ALLEN CONICO 1/2 ROSCA NPTF FIT *NGC-400* / HOLLOW HEX. PIPE PLUG 1/2"-14 NPTF REF-944A0008H04 | STAL |
| PLUA1!4N | TAPON MACHO ALLEN CONICO 1/4 ROSCA NPTF FIT STAL *R-57-M* / HOLLOW HEX PLUG PIPE 1/4" NPTF N-122 REF-3951 3156 802 | STAL |
| PLUA1-5!16F | TAPON MACHO ALLEN CON CABEZA REDONDA CON JUNTA FIT *NGC-400* / HOLLOW HEX. PLUG STRAIGHT WITH RIM THREAD1-5/16"-12 UNF-2A O-RING REF-944A0228H10+46-152-2005 | STAL |
| PLUA1-5!8F | TAPON MACHO ALLEN CON CABEZA REDONDA CON JUNTA FIT *NGC-400* / HOLLOW HEX. PLUG STRAIGHT WITH RIM THREAD1-5/8"-12 UNF-2A O-RING REF-944A0228H11 | STAL |
| PLUA3!4F | TAPON MACHO ALLEN CON CABEZA REDONDA CON JUNTA FIT *NGC-400* / | STAL |

| Ralco P/N | Description | Compressor |
|-----------|---|------------|
| | HOLLOW HEX. PLUG STRAIGHT WITH RIM THREAD 3/4"-16 UNF-2A O-RING REF-46-152-2001 | |
| PLUA3!4N | TAPON MACHO ALLEN CONICO 3/4 ROSCA NPTF FIT *NGC-400* / HOLLOW HEX. PIPE PLUG 3/4"-14 NPTF REF-944A0008H05 | STAL |
| PLUA3!8F | TAPON MACHO ALLEN CON CABEZA REDONDA CON JUNTA FIT *NGC-400* / HOLLOW HEX. PLUG STRAIGHT WITH RIM THREAD 3/8"-24 UNF-2A O-RING REF-944A0228H02 | STAL |
| PLUA3!8N | TAPON MACHO ALLEN CONICO 3/8 ROSCA NPTF FIT *NGC-400* / HOLLOW HEX. PIPE PLUG 3/8"-18 NPTF REF-944A0008H03 | STAL |
| PLUA7!16F | TAPON MACHO ALLEN CON CABEZA REDONDA CON JUNTA FIT *NGC-400* / HOLLOW HEX. PLUG STRAIGHT WITH RIM THREAD 7/16"-20 UNF-2A O-RING REF-944A0228H03+46-152-1998 | STAL |
| PLUA9!16F | TAPON MACHO ALLEN CON CABEZA REDONDA CON JUNTA FIT *NGC-400* / HOLLOW HEX. PLUG STRAIGHT WITH RIM THREAD 9/16"-18 UNF-2A O-RING REF-944A0228H05+46-152-2000 | STAL |
| PLUSS718 | PLUG FIT *S-50* N-144 MALE REF-1888 718-1 | STAL |
| PMPSP491 | PLIE PUMPE FIT STAL REF-1921 491-A | STAL |
| PMPSP500 | OIL PUMP REF-1875 500-A | STAL |
| PMPSS000 | OIL PUMP FIT STAL *S-26 +S-81+83+85+87+89* REF-1905 315-1+1524.221 | STAL |
| PMPSS500 | BOMBA ACEITE SOLA FIT STAL *S-51+57* / OIL PUMP REF-1905 580-C | STAL |
| PMPSS501 | KIT BOMBA ACEITE FIT STAL *S-51+57* / OIL PUMP KIT REF-1905 580-D | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| PMPSS700 | OIL PUMP STAL *S-71-E* REF-1878 950-B | STAL |
| PMPSS800 | OIL PUMP FIT STAL *S-81+83* REF- 1905 315-2 + 1524.069 | STAL |
| PMPSU000 | OIL PUMP FIT STAL *U* | STAL |
| PSTFS157F | BALANCED SPACER FEMALE FIT FRICK *SAB-157+HPSH-1510* REF- 534C2401H01 | STAL |
| PSTFS157M | BALANCED PISTON MALE FIT FRICK *SAB-157+HPSH-1510* REF- 534C2400H01 | STAL |
| PSTFS193F | BALANCED PISTON FEMALE FIT FRICK *TDSH-193* REF-534C0058H01 | STAL |
| PSTFS193M | BALANCED PISTON MALE FIT FRICK *TDSH-193* REF-534C0270H01 | STAL |
| PSTFS193Q | RING FEMALE FIT FRICK *TDSH-193* REF-534C0059H01 | STAL |
| PSTSP000 | PISTON COMPLETO STAL *P2-K* / PISTON COMPLETE N-100 REF-1875 598-C | STAL |
| PSTSS500 | KIT PISTON EQUILIBRIO + CAMISA STAL FIT *S-51+57* / SET BALANCE PISTON & SLEEVE REF-3084P502 + 1872 669-1 | STAL |
| PSTSS700 | KIT PISTON EQUILIBRIO + CAMISA STAL FIT *S-70+71+73* / SET BALANCE PISTON & SLEEVE REF-3084P503 + 1874 927-1 | STAL |
| PSTSS800 | PISTON STAL FIT *S-81* / PISTON FOR VARIABLE VI S81 REF-3044.109+1906 066-1 | STAL |
| PSTSU000 | PISTON COMPLETO FIT STAL *U* / PISTON COMPLETE N-122 REF- 1872960C | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| PSTSU001 | PISTON SOLO FIT STAL *U* / PISTON BARE N-122 REF-18729631 | STAL |
| RNG75052 | JUNTA TORICA FIT SAB *SAB FILTER* /O RING 419.3X5.7 G-420 NR61352 REF-1331.2052+3921 5282 559 | STAL |
| RNGFS1291 | SEARCH RNG75175 - O RING COALESCER COVER FIT FRICK *SAB-151-S+M+L+E* 170.82X5.33 NR364 REF-980A0012B91+980A0013H69 | STAL |
| RNGFS2033 | JUNTA TORICA FIT FRICK +SAB / O RING 188.0X4.0 NR6466 HNBR NR-146+91 REF-1331.2033+1331.270 | STAL |
| RNGN141 | JUNTA TORICA FIT *FRICK-163* /O RING SHAFT SEAL 58.42X2.62 NR141 980A0012A91 | STAL |
| RNGN157 | SEARCH RNG05094 - O RING 113.97X2.62 NR157 STAL *R-5*+*GSB-263* REF:980A0012B08+55-084-0094+1331.666 | STAL |
| RNGN7750X262 | JUNTA TORICA FIT *FRICK-233* / O RING SHAFT SEAL 77.5X2.62 NR1467 NO PART NUMBER | STAL |
| RNGSS027 | SEARCH RNGSS430 JUNTA TORICA FIT STAL / O RING 89.5X3.0 NR6013 NBR REF-1331.2027 | STAL |
| RNGSS1331456 | SEARCH RNGSS426 - O RING FIT *R-5* 74.5X3.0 NR1771 REF-1331.456 | STAL |
| RNGSS1331488 | SEARCH RNGSS437 - O RING SHAFT SEAL STAL *S-50+S-89* N° 130 124.5X3.0 1245-30 NR612 REF-1331488 + 3921 5296 437 + 1331.357 | STAL |
| RNGSS220 | JUNTA TORICA FIT STAL *S-24+26+R-5* /O RING 27.1X1.6 NBR REF-3921 5282 220+1331.2010 | STAL |
| RNGSS306 | JUNTA TORICA FIT STAL *S-24+26 + STAL U* /O-RING 8.3X2.4 NR070 NBR REF-3921 5282 306 + 1331.2064 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| RNGSS308 | JUNTA TORICA FIT STAL *S-70+80* / O RING 10.3X2.4 NR6475 NBR REF-3921 5282 308 + 1331.612+1331.343+1331.385+095225 2 | STAL |
| RNGSS310 | JUNTA TORICA FIT STAL *S-70* / O RING 12.3X2.4 NR058 NBR REF-3921 5282 310+1331.2015 | STAL |
| RNGSS313 | JUNTA TORICA FIT STAL *S-24+26+70+80*+*XRV-163* / O RING 15.3X2.4 NR6206 NBR REF-3921 5282 313 + 1331.613 + 3921 5284 313 + 1331.344+55-097-0157+XR16101-3+M6201562+1331.386 | STAL |
| RNGSS315 | JUNTA TORICA FIT STAL *S-24 + 26-MK1* /O-RING 17.3X2.4 NR690 REF-3921 5284 315 + 1331.2017 | STAL |
| RNGSS355 | SEARCH RNGSS435 - O RING FIT STAL *R-5* 114.5X3.0 S114.5X3 NR769 REF-1331.622+1331.355+3921 5282 435 | STAL |
| RNGSS387 | JUNTA TORICA FIT STAL *S-24+26+50* / O RING 19.3X2.4 NR6503 REF-1331.387 | STAL |
| RNGSS398 | JUNTA TORICA FIT STAL *S-80 + R-5MK1* / O RING 119.0X3.0 NR504 NBR REF-1331.398 | STAL |
| RNGSS404 | JUNTA TORICA FIT STAL *S-70* / O RING 19.2X3.0 NR593 NBR REF-3921 5282 404 + 1331.614 + 3921 5296 404+1331.345+1331.466 | STAL |
| RNGSS405 | JUNTA TORICA FIT STAL *S-93* / O RING 22.2X3.0 NR1064 NBR REF-3921 5282 405+3921 5284 405+3921 5296 405+3921 5297 405 | STAL |
| RNGSS406 | JUNTA TORICA FIT STAL *S-24+26+70* / O RING 24.2X3.0 NR050 NR6050 G-25 NBR REF-3921 5282 406 + 1331.615 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| | +1331.346+ 3921 5296 406+1331.388+PA12-025+PA2402-025 | |
| RNGSS408 | JUNTA TORICA FIT STAL *S-24+26+50* / O RING 29.2X3.0 0295-30 NR1000 NBR REF-3921 5282 408 +3921 5284 408+3921 5296 408+ 1331.486+1331.348+1331.389 | STAL |
| RNGSS409 | JUNTA TORICA FIT STAL *S-50+70* / O RING 32.2X3.0 NR1332 NBR REF-3921 5282 409 + 3921 5296 409+1331.2022 | STAL |
| RNGSS410 | JUNTA TORICA FIT STAL *S-70* / O RING 34.2X3.0 NR914 NBR REF-3921 5282 410 + 1904 249-18 + 3921 5296 410+1331.2023 | STAL |
| RNGSS412 | JUNTA TORICA FIT STAL *S- 26+50+80+R5* / O RING 39.2X3.0 NR6205 NBR REF-3921 5282 412 + 1331.616+1331.390 | STAL |
| RNGSS414 | JUNTA TORICA FIT STAL *S-70* / O RING 44.2X3.0 NR1054 NBR REF-3921 5282 414 + 1331.617 +1331.391+ 1904 249-19 + 3921 5296 414 | STAL |
| RNGSS416 | JUNTA TORICA FIT STAL *S-70* / O RING 49.5X3.0 NR6194 NBR REF-3921 5282 416 + 1331.618+1331.350+1331.392 | STAL |
| RNGSS418 | JUNTA TORICA FIT STAL *S- 24+70+80+83+85* / O RING 54.5X3.0 NBR REF-3921 5282 418 + 1331.619 +1331.351+1331.274+1331.393 | STAL |
| RNGSS420 | JUNTA TORICA FIT STAL *S-24* / O RING 59.5X3.0 NR932 NBR REF-3921 5296 420 + 1331.271 + 3921 5282 420+980A0013K72+980A0012K74+133 1.2024+3921 5282 420 | STAL |
| RNGSS424 | JUNTA TORICA FIT STAL *S-70+80 + U- 43* / O RING NBR 69.5X3.0 REF-3921 5282 424 + 1331.620 + 3921 5296 424 | STAL |

| Ralco P/N | Description | Compressor |
|-----------|---|------------|
| | + 3921 5297 424 + 1331.394+1331.352+1331.394 | |
| RNGSS425 | JUNTA TORICA SELLO PRENSA FIT STAL *S-70* / O RING SHAFT SEAL 72.5X3.0 NBR REF-3921 5282 425 + 1331P749 + 1904 249-9 | STAL |
| RNGSS426 | JUNTA TORICA FIT STAL S-70+R-5* / O RING 74.5X3.0 NR1771 NBR REF-3921 5282 426 + 1331.456 + 3921 5296 426 + 1331.272 + 1904 249- 21+1331.2026+3921 5297 426(FKM)+55-080-0025+1904 249-21 | STAL |
| RNGSS428 | JUNTA TORICA FIT STAL *S-50+85* /O RING SHAFT SEAL N° 125 79.5X3.0 NBR REF-3921 5282 428 + 3921 5296 428 + 1331.621 + 1331.353+1331.395 | STAL |
| RNGSS429 | JUNTA TORICA FIT STAL *S-26+70+80* / O RING 84.5X3.0 NR2122 NBR REF- 3921 5282 429 + 1331.457 + 1904 249- 22+1331.688+1331.273+3921 5296 429 | STAL |
| RNGSS430 | JUNTA TORICA FIT STAL *S-70* / O RING SHAFT SEAL 89.5X3.0 NR6013 NBR REF-3921 5282 430 + 1904 249- 11+1331.2027 | STAL |
| RNGSS431 | JUNTA TORICA FIT STAL *S- 24+26+50+70+80+83+R-5* / O RING 94.5X3.0 NR6339 NBR REF-3921 5282 431 + 3921 5296 431 + 1904 249-12 + 1331.341 + 1331.485 | STAL |
| RNGSS432 | JUNTA TORICA FIT STAL *S-70+83* / O RING 99.5X3.0 NBR REF-3921 5282 432+1331.490 | STAL |
| RNGSS432_ | O RING FIT STAL *S-70* REF-3921 5296 432 + 3921 5295 432 | STAL |
| RNGSS433 | JUNTA TORICA COJINETES FIT STAL *S- 24+26+50+81+83* / O RING KIT BEARINGS 104.5X3.0 NR1175 NBR NR85 REF-3921 5282 433 + 1331.491 + | STAL |

| Ralco P/N | Description | Compressor |
|-----------|--|------------|
| | 3921 5296 433 + 1331.374+1331.2071+1331.827 | |
| RNGSS434 | JUNTA TORICA FIT STAL *S- 24+26+70+80* / O RING 109.5X3.0 NR903 NBR REF-3921 5282 434 + 3921 5296 434+3921 5295 434 +3921 5293 434+ 3921 5284 434+ 1331.487 + 1331.354 + 1904 249- 13+1331.396(FKM) | STAL |
| RNGSS435 | JUNTA TORICA FIT STAL *S- 70+80+83+R5-MK1* +*XRV-163+204* / O RING 114.5X3.0 NR6769 NBR REF- 3921 5282 435 + 1331.622+1331.355+XR16105- 3+M6211453+M6011453+1331.397+1 331.622 | STAL |
| RNGSS436 | JUNTA TORICA FIT STAL *S-80 + R- 5MK1* / O RING 119.5X3.0 NR504 NBR REF-3921 5282 436 + 1331.623 + 1331.356 + 39215282436 | STAL |
| RNGSS437 | JUNTA FIT STAL *S-51+57+S-70+S- 89*+*WRV-204*/O RING OIL PUMP + SHAFT SEAL N° 130 124.5X3.0 NR612 NBR REF-3921 5296 437+3921 5297 437 + 3921 5282 437 +1331.488 + 1331.357+G44072+M6212453+M6312 453 | STAL |
| RNGSS438 | JUNTA TORICA FIT STAL *S-70+80 + U* / O RING NBR 129.5X3.0 NR1296 REF- 3921 5282 438 + 1331.624 + 1331.358+1331.413 | STAL |
| RNGSS439 | JUNTA TORICA FIT STAL *S-51+57+S- 70+U+MS200+250+WRV204*/O RING FIT OIL PUMP NBR 134.5X3.0 NR515 REF-3921 5296 439 + 1331.625+1331.419+PA2402-135 + P2401G135 + PA12-135 + PA2402135+G44071+M6213453 | STAL |
| RNGSS440 | JUNTA TORICA FIT STAL *S-70* / O RING 139.5X3.0 NR6511 NBR REF-3921 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| | 5282 440 | |
| RNGSS441 | JUNTA TORICA FIT *S-80*/O RING NBR 144.5X3.0 REF-3921 5282 441 + 1331.626+1331.420 | STAL |
| RNGSS484 | JUNTA TORICA FIT STAL *S-24+26+81+S83+R5* / O RING 64.5X3.0 0645-30 NR523 NBR REF-3921 5282 422 + 1331.484 + 1331.340 + 1904 249-20 + 3921 5297 422(VITON) + 1331.467(VITON)+1331.340 | STAL |
| RNGSS492 | JUNTA TORICA SELLO PRENSA FIT STAL *S-70* / O RING SHAFT SEAL 84.1X5.7 NR1012 NBR REF-1904 249-2+1331.2036 | STAL |
| RNGSS494 | JUNTA TORICA FIT STAL *S-50+R-5*+MYCOM *160* / O RING 74.2X5.7 NR294 NBR REF-1904 249-4 + 3921 5297 515+1331.2035+PA2401-075 | STAL |
| RNGSS496 | SEARCH RNGSS934 - O RING SHAFT SEAL FIT STAL *S-24* 53.0X4.0 NR1914 REF-1904 249-6+762925037N | STAL |
| RNGSS503 | O RING FIT STAL *S-81* 44.2X5.7 REF-3921 5282 503 + 1331.628 + 1331.455 | STAL |
| RNGSS505 | JUNTA TORICA FIT STAL *S-70+80* / O RING 49.2X5.7 NR1070 NBR REF-3921 5282 505 + 1331.629+1331.359+1331.414 | STAL |
| RNGSS523 | SEARCH RNG75225-JUNTA TORICA FIT STAL *S-70* / O RING 109.2X5.7 NR837 NBR REF-3921 5282 523+1331.2040 | STAL |
| RNGSS524 | JUNTA TORICA STAL FIT *S-24+26 + S-50* / O-RING 114.3X5.7 NR1005 NBR REF-3921 5282 524 + 3921 5296 524+1331.2042 | STAL |
| RNGSS525 | O RING SHAFT SEAL STAL *S-50+70* 119.3X5.70 NR6448 NBR N° 129 REF-3921 5282 525 + 3921 5296 525 + 3921 5295 525+1331.2043 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| RNGSS527 | (42 M)JUNTA TORICA FIT STAL *S-70+80 + STAL U+M* / O RING 129.3X5.7 NR6451 P-130 NBR REF-3921 5282 527 + 3921 5296 527+1331.2044+PA2401-130+PAH80-130+1331.2044 | STAL |
| RNGSS530 | JUNTA TORICA FIT STAL *S-50+70* / O RING 144.3X5.7 G-145 NBR REF-3921 5282 530 + 3921 5296 530+PA2401-145+PA1516-145+1331.2046 | STAL |
| RNGSS531 | JUNTA TORICA FIT STAL *S-70+80* / O RING NBR 149.3X5.7 G-150 NR623 REF-3921 5282 531 + 1331.489 + 3921 5296 531+3921 5295 531+1993P034+1331.360+PA2402-150+PA12-150+B2401G150 | STAL |
| RNGSS532 | JUNTA TORICA FIT STAL *S-80* / O RING 154.3X5.7 G-155 NBR REF-3921 5282 532+1331.2047 | STAL |
| RNGSS533 | JUNTA TORICA FIT STAL *S-50+70 + STAL U+320+M* / O RING NBR 159.3X5.7 NR6444 G-160 11A688 REF-3921 5282 533 +3921 5295 533+1331.630+1331.362 + 3921 5296 533+PA2402-160+PA12-160 | STAL |
| RNGSS534 | JUNTA TORICA FIT STAL *S-70* / O RING 164.3X5.7 G-165 NR983 NBR REF-3921 5282 534 + 1331.631 + 3921 5296 534 | STAL |
| RNGSS535 | SEARCH RNG75226 - 169.3X5.7 NR746 G-170 - 1331.632 + 16930570/RNGSS535 | STAL |
| RNGSS536 | JUNTA TORICA FIT STAL *S-70* / O RING 174.3X5.7 G-175 NBR REF-3921 5282 536+1331.2122 | STAL |
| RNGSS537 | JUNTA TORICA FIT STAL *S-70* / O RING 179.2X5.7 NR1098 G-180 NBR REF-3921 5282 537 + 1331.633+1331.450 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| RNGSS538 | JUNTA TORICA FIT STAL *S-70* / O RING 184.3X5.7 G-185 NBR REF-3921 5282 538 + 1331.634+1331.362 | STAL |
| RNGSS540 | JUNTA TORICA FIT STAL *S-26* /O- RING 194.3X5.7 G-195 NBR REF-3921 5282 540+1331.2048 | STAL |
| RNGSS543 | JUNTA TORICA FIT STAL *S-70* / O RING 209.3X5.7 NR600 G-210 NBR REF- 3921 5282 543+PA2402- 210+1331I928+PA12-210+1331.2049 | STAL |
| RNGSS545 | JUNTA TORICA FIT STAL *SAB-83+93* / O RING 219.2X5.7 G-220 NBR REF-3921 5282 545 + 1331.636+1993P094 | STAL |
| RNGSS547 | JUNTA TORICA FIT STAL *S-70* / O RING 239.3X5.7 G-240 NBR REF-3921 5282 547+PA2402-240+1331.2050 | STAL |
| RNGSS551 | JUNTA TORICA FIT STAL *S-70+80* / O RING 279.2X5.7 G-280 REF-3921 5282 551 + 1331.638 + 1331.363 | STAL |
| RNGSS554 | JUNTA TORICA FIT STAL *S-80* /O RING 319.3X5.7 G-320 REF-3921 5282 554 + 1331.639 + 1993P049 + 1993P095+1331.451 | STAL |
| RNGSS561 | JUNTA TORICA FIT STAL *S-24+26* / O- RING OIL SEPARATOR 459.3X5.7 G-460 REF-3921 5282 561+1331.2053 | STAL |
| RNGSS562 | JUNTA TORICA FIT STAL *U+S-24+26* / O-RING OIL SEPARATOR 479.3X5.7 G- 480 REF-3921 5282 562+1331.2054 | STAL |
| RNGSS619 | O-RING FIT STAL *S-57* NBR 209.1X8.4 P-210 REF-3921 5282 619 | STAL |
| RNGSS621 | O-RING FIT STAL *S-57* NBR 229.1X8.4 P-230 REF-3921 5282 621 | STAL |
| RNGSS622 | O-RING FIT STAL *S-57* NBR 239.1X8.4 P-240 REF-3921 5282 622+1331.2061 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| RNGSS623 | SEARCH RNGSS436 O RING FIT STAL *R-5* 119.5X3.0 NR504 REF-1331.623 | STAL |
| RNGSS637 | JUNTA TORICA FIT *S-85*/ O-RING NBR 249.3X5.7 NR1010 249.3X5.7 2493-57 G-250 REF-1331.637+3921 5282 548 | STAL |
| RNGSS724 | SEARCH RNG03054 O RING FIT STAL *S-70* 20.24X2.62 NR117 REF-3921 5296 724 | STAL |
| RNGSS854 | JUNTA TORICA FIT STAL *S- 70*+COPELAND *2+4+6+8-CC*/O RING NBR 40.65X5.33 NR326 REF-3921 5282 854+480507 | STAL |
| RNGSS858 | JUNTA TORICA FIT STAL *S-70* / O RING 87.2X5.7 NR1016 NBR REF-3921 5282 858 + 3921 5296 858+1331.2037 | STAL |
| RNGSS884 | JUNTA TORICA FIT STAL *S-70* / O RING 42.8X8.0 NR1060 NBR REF-3921 5282 884 + 1331.203+1331.2059 | STAL |
| RNGSS931 | JUNTA TORICA FIT STAL *S-70* / O- RING 136.5X3.7 NR253 NBR REF-3921 5282 931+1331.584 | STAL |
| RNGSS933 | JUNTA TORICA FIT STAL *S-24* / O RING 48.0X4.0 NR1196 HNBR NR- 146+91 REF-3921 5282 933 + 1904 249-5+1331.2030 | STAL |
| RNGSS934 | JUNTA TORICA FIT STAL *S-24+26* +*GRASSO* /O RING SHAFT SEAL HNBR 53.0X4.0 NR1914 NR-147+92 REF-3921 5282 934 + 1904 249- 6+762925037N + 1331.2031 | STAL |
| RNGSS939 | O RING FIT STAL *S-83* 156.3X3.0 NBR REF-3921 5282 939 + 1331.627 | STAL |
| RNGSSR180 | JUNTA TORICA FIT STAL *R-5* /O RING STRING 125.0X5.7 G-125 REF-1940 411-180 | STAL |
| RNGSSR181 | JUNTA TORICA FIT STAL *R-5* /O RING STRING 155.0X5.7 G-155 REF-1940 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| | 411-181 | |
| RNGSSR207 | (89) JUNTA TORICA FIT STAL *R-5* / O RING 9.1X1.6 NR1530 REF-3921 5282 207 + 3921 5296 207 + 1331.2008 | STAL |
| RNGSSR217 | JUNTA TORICA FIT STAL *R-5* /O RING 19.1X1.6 REF-3921 5282 217+1331.2009 | STAL |
| RNGSSR249 | JUNTA TORICA FIT STAL *R-5* /O RING 94.1X5.7 NR608 REF-1904 249-1+1331.2039 | STAL |
| RNGSSR3627 | JUNTA TORICA FIT STAL /O RING 532.21X5.33 NR390 REF-1915 362-7 | STAL |
| RNGSSR511 | JUNTA TORICA FIT STAL *R-5*/O RING 64.2X5.7 NR1123 REF-1904 249-16 + 3921 5297 511+1331.2034 | STAL |
| RNGSSR519 | JUNTA TORICA FIT STAL *R-5*/O RING 89.1X5.7 NR867 REF-1331.2038+3921 5282 519+3921 5295 519+3921 5296 519 | STAL |
| RNGSSR875 | JUNTA TORICA FIT STAL *R-5 + S-70*/O-RING SUCTION FILTER 111.5X3.0 NR6421 REF-3921 5296 875+1331.2028 | STAL |
| RNGSU008 | JUEGO DE TORICAS FIT STAL *U-8* / O RING SET REF-1873 770-A | STAL |
| RNGSU529 | JUNTA TORICA FIT STAL *U* /O RING 139.3X5.7 1393-57 P-140 REF-3921 5282 529+1331.2045 | STAL |
| RNGSU533 | SEARCH RNGSS533 - JUNTA EXTERIOR TORICA PLATO DESCARGA FIT STAL *U* / O-RING 159.3X5.7 NR6444 G-160 N-418 REF-3921 5282 533 | STAL |
| RODSP000 | CONN. ROD STAL *P-4+6+8* 53.7X24X119.1 REF-1894 772-2 | STAL |
| RODSS573 | CAPACITY ROD FIT STAL *S-50+57* N-93 REF-1896 573-1 | STAL |

| | Ralco P/N | Description | Compressor |
|--|------------------|---|-------------------|
| | RODSU000 | BIELA COMPLETA FIT STAL *U* / CONN. ROD ASSY. N-101 REF-1873970B | STAL |
| | RTNFS193A | ** SEARCH RTN05211 RETEN FIT FRICK *SAB-193* / SEAL ROD GLYD RING 1.625" 1-5/8 RWBII-100/134 REF-534B0006H02+55-110-5211 | STAL |
| | RTNFS193B | ** SERACH RTN05214 RETEN FIT FRICK *SAB-193* / SEAL ROD GLYD DIA. 3.375" 3-3/8 REF-534B0006H03 | STAL |
| | RTNFS219 | RETEN SELLO FRICK FIT *SAB-283* / SEAL OIL 82.55X98.45X9.53 CRW1 REF-333Q0001219 | STAL |
| | RTNFS534B0006H06 | ** SEARCH RTNFS606 - RETEN FIT *FRICK-399 +SAB-283* / RING ROD SEAL GLYD REF-534B0006H06 | STAL |
| | RTNFS601 | ** SEARCH SNPFS6601 RETEN FIT *FRICK SGC-399* / RING RETAINING REF-534B 0766 H01 | STAL |
| | RTNFS608 | RETEN FIT *FRICK-399 +SAB-283* / SEAL ROD GLYD DIA. 4.750" 4-3/4 RS09A-126.5X119.5X5.9 GRAPHITE REF-534B0006H08 | STAL |
| | RTNFS702 | ** SEARCH RTN05204 RETEN FIT FRICK *SAB-193 + GSV-263* / RING PISTON SEAL GLYD 6.00 ISP-150X140.2X7.6 REF-534C0187H02 + 55-110-5204 + 55-110-5524 | STAL |
| | RTNSS036 | JUNTA V TIPO A SELLO PRENSA FIT STAL *S-85+87 + R-5* / V-RING SEALING RING SHAFT SEAL 79X65X11 V-75A NAK REF- 3922 1633 075 + 1332.036 | STAL |
| | RTNSS045 | JUNTA V TIPO A SELLO PRENSA FIT STAL *S-24* / V-RING SEALING RING SHAFT SEAL V-45A 50X40X9 NR-120 REF-3922 1633 045 | STAL |
| | RTNSS055 | JUNTA V SEALS TIPO A FIT STAL *S-81* / V-RING SEALING RING SHAFT SEAL | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| | V-55A 59X49X9 NBR REF- 3922 1633 055 + 1332.062 | |
| RTNSS060 | JUNTA V TIPO A SELLO PRENSA FIT STAL *S-83* / V-RING SEALING RING V- 60A 64X59X9 NBR REF-3922 1633 060 - 1332.057 | STAL |
| RTNSS085 | JUNTA V TIPO A SELLO PRENSA FIT STAL *S-89* / V-RING SEALING RING SHAFT SEAL V-85A HNBR 576 88X76X11 N-184 REF- 3922 1633 085 + 1332.053 | STAL |
| RTNSS2050 | JUNTA V TIPO A SELLO PRENSA FIT STAL *S-26-MK-1+2* / V-RING SEALING RING SHAFT SEAL V-50A NBR REF-3922 1633 050 | STAL |
| RTNSS276 | ANILLO GUIA TEFLON FIT STAL *S-50* / TEFLON SOLE GUIDE RING F1- 130X125X7.3 ECOT-4 PTFE REF-1875 276-1 | STAL |
| RTNSS548 | ANILLO GUIA FIT STAL *S-70* / TEFLON SOLE GUIDING TAPE RING F1- 87X85X7.3 ECOT-4 PTFE REF-1876 548- 1 | STAL |
| RTNSS596 | ANILLO GUIA TEFLON FIT STAL *S-50* / TEFLON SOLE GUIDE RING 35.2X30X4 ECOT-4 PTFE REF-1895 596-1 | STAL |
| RTNSS934 | ANILLO GUIA TEFLON FIT STAL *S-70* / TEFLON SOLE GUIDE RING PTFE 160X155X7.4 ECOT-4 REF-1874 934-1 | STAL |
| RTNSSR039 | RETEN ACERO SELLO PENZA FIT STAL *R-5* / V RING HOLDER STEEL 88 MM REF-1904 039-3 | STAL |
| RTNSSR5700 | RETEN TEFLON SELLO PRENSA FIT STAL *R-57-MK2* / SEALING RING PTFE 75.0X65.0X9.0 REF-1905 089-2 | STAL |
| RTNSSR812 | STEEL RING USED IN SHAFT SEAL FIT STAL *R-5- 90X65X1.8 REF-1903 812-3 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| RTN SSR8121 | STEEL RING USED IN SHAFT SEAL FIT STAL *R-5-MK1 110X84.5X2 TYPE R REF-1903 812-1 | STAL |
| RTNSU000 | RETEN FIT STAL *U-8* SEALING RING NYLON 32X18.15X2.5X6.8 REF-3921 5251 072 | STAL |
| RTNSU001 | RETEN FIT STAL *U-8* / SEALING RING 88X110X12 SE-70 REF-3921 5273 888 | STAL |
| RTNSU002 | RETEN FIT STAL *U-8* / SEALING RING 50X42X6 REF-3922 1642 013 | STAL |
| RVTSP000 | RIVET FIT STAL *P-2CD* REF-KN3X14 | STAL |
| SEL SA000 | SELLO PRENSA STAL FIT *ASTRA* / SHAFT SEAL D = 60 MM 08721 90 31 | STAL |
| SEL SA001 | SELLO PRENSA STAL FIT *ASTRA* / SHAFT SEAL D = 75 MM 07310 90 11 | STAL |
| SEL SP000 | SELLO PRENSA STAL *P24+PK24+P2C* / SHAFT SEAL ASSY. D = 25 MM N-200 REF-P4-231A | STAL |
| SEL SP001 | SELLO PRENSA STAL *P28+P8KL+P6A* / SHAFT SEAL ASSY. D = 38 MM P4631A | STAL |
| SEL SS200X | SOLO SELLO PRENSA TORNILLO STAL *S-24+26-MK1+2* / ONLY SHAFT SEAL 43/48 | STAL |
| SEL SS2024 | KIT SELLO PRENSA TORNILLO STAL *S-24-MK1+2-D* / SHAFT SEAL 43/48 REF-1903 864-A | STAL |
| SEL SS2026 | SELLO PRENSA TORNILLO STAL *S-26 MK1+2-B* / SHAFT SEAL REF-1903 865-A | STAL |
| SEL SS2026C | RECONSTRUCCION SELLO PRENSA TORNILLO STAL *S-26* / SHAFT SEAL REBUILDING KIT REF-1903 865-C | STAL |
| SEL SS2090 | SHAFT SEAL FIT STAL REF-1903 300-A | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| SELSS2091 | SHAFT SEAL FIT STAL REF-1903 305-A | STAL |
| SELSS500 | *** SEARCH SELSW204MK234 SELLO PRENSA TORNILLO STAL *S-50+HOWDEN 204-MK4* 60.30 MM/ SHAFT SEAL 2-3/8" - STATIONARY RING 27 MM REF-3922 1610 823 + 3087.009 | STAL |
| SELSS700 | SELLO PRENSA TORNILLO STAL *S-70* / SHAFT SEAL D= 73 MM REF-3922 1610 827 | STAL |
| SELSS801 | PARTIAL SERVICE KIT *S-81* SHAFT SEAL REF-1906 015-1 + 3084.710 | STAL |
| SELSS801X | SHAFT SEAL STAL FIT *S-81* 680 D=60 BELLOW TYPE REF-1332.185 | STAL |
| SELSS803 | SHAFT SEAL KIT STAL FIT *S-83* BELLOW TYPE REF-1905 715-1 + 3084.713 + 1332.186 | STAL |
| SELSS803X | SHAFT SEAL ONLY STAL FIT *S-83* BELLOW TYPE REF-1905.715-1 + 1332.186 + 1332.054 | STAL |
| SELSS809 | SELLO PRENSA TORNILLO STAL *S-89* / BELLOW SHAFT SEAL REF-1332.084 + 1906 515-1+3084.722+1332.048 | STAL |
| SELSS857 | SHAFT SEAL KIT STAL FIT *S-85 + S-87* REF-3084.716 + 1332.033 + 1906 315-1+1332.187 | STAL |
| SELSS857X | SHAFT SEAL BELLOW FIT STAL *S-85 + S-87* REF-1906.315-1 + 1332.187 + 1332.033 | STAL |
| SELSS900 | SELLO PRENSA TORNILLO STAL *S-90* / SHAFT SEAL T109 REF-3922 1611 829 | STAL |
| SELSS903 | SHAFT SEAL KIT STAL FIT *S-93* REF-1898 346A | STAL |
| SELSSF19 | SHAFT SEAL FIT STAL *F-19-C* REF-1906 251-1 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| SELSSP000 | SHAFT SEAL FIT STAL *P-4K* REF-P42-31A | STAL |
| SELSSR00 | SELLO PRENSA FUELLE STAL MINI *R-57 + 59* / BELLOW SHAFT SEAL REF-1332.188 + 1940 268-1 | STAL |
| SELSSR02 | SHAFT SEAL KIT STAL *R-57-H-MK2* REF-1905 832-A | STAL |
| SELSSR03 | SHAFT SEAL KIT + O-RINGS STAL *R-5-MK1-E+F + R-5MK2-G+H* REF-1904 974-A | STAL |
| SELSSR05 | SERVICE KIT SHAFT SEAL FIT STAL *R-5-MK2* UPGRADE TO GENERATION *P* BELLOW TYPE REF-1940 562-A + 3084.724+1905 831-A+1904 460-1+1905 425-1 - GENUINE ITEM | STAL |
| SELSSR5702 | METAL WASHER SHAFT SEAL 4 HOLES FIT STAL *R-57-MK2* 1905 424-1 | STAL |
| SELSSR5703 | ROTATING RING SHAFT SEAL FIT STAL *R-57-MK2-K+L* REF-1905 169-1 | STAL |
| SELSSR5704 | SEAT HOLDER SHAFT SEAL FIT STAL *R-5704* REF-1905 425-1 | STAL |
| SELSU000 | SELLO PRENSA STAL *U-2+4+8* / SEAL ASSY. STAL UD6 REF-1873-780-1 | STAL |
| SETSS2206 | ASIENTO CAJERA SELLO 8 HOLES FIT *S-26* / SEAT HOLDER REF-1906 291-1 | STAL |
| SETSS2941 | SEAT FIT *S-26* REF-1906 294-1 | STAL |
| SETSSR000 | STATIONARY SEAT SHAFT SEAL FIT STAL *R-51+3+5+7+9-MK1-E+F + MK2-G+H* REF-1904 465-1 | STAL |
| SETSSR001 | STATIONARY SEAT SHAFT SEAL FIT STAL *R-51-MK1-D+E + R-53+5+7+9-MK1-F+G* REF-1904 040-1 | STAL |
| SETSSR002 | STATIONARY SEAT SHAFT SEAL FIT STAL *R-51-MK1-A+B REF-1903 809-1 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| SETSU010 | DISCHARGE VALVE INNER SEAT FIT STAL *U + S-70* N-432 REF-18729751 | STAL |
| SETSU013 | DISCHARGE VALVE RETAINER FIT STAL *U* R-717 N-412B REF-1894 546-1 | STAL |
| SETSU020 | SUCTION VALVE RETAINER FIT STAL *U* 6 HOLES D = 123.2 N-421 NEW VERSION REF-18740021 | STAL |
| SGMSP000 | PISTON RING STAL *P* | STAL |
| SGMSU000 | SEGMENTO COMPRESION FIT STAL *U* / PISTON RING N-126 REF-18748511 | STAL |
| SGMSU005 | SEGMENTO CENTRAL RASCADOR FIT STAL *U* / CENTRAL PISTON RING | STAL |
| SGMSU010 | SEGMANTO ENGRASE FIT STAL *U* / OIL SCRABER RING N-128 REF-18748521 | STAL |
| SGMSU020 | KIT 2 SEGMENTOS FIT STAL *U* / SET 2 PISTON RING | STAL |
| SHMFS193A | BEARING SHIM C. STEEL FIT FRICK *SAB-193* REF-534B0701H03 | STAL |
| SHMFS193B | BEARING SHIM C. STEEL FIT FRICK *SAB-193 + 233* 92.2X80.77X0.05 MM REF-534B0701H02 | STAL |
| SHMFS193C | BEARING SHIM C. STEEL FIT FRICK *SAB-193* 145.5X127.3X0.5 REF-534B0701H01 | STAL |
| SHMFS283A | BEARING SHIM FIT FRICK *SGC-SAB-283 + FRICK-399* 8.45X7.38X0.002" REF-534B0701H05 | STAL |
| SHMSS700 | KIT 4 ESPACIADORES FIT STAL *S-70* / ALUMINIUM SHIMS 85X105X1 MM REF-1874 935-1 | STAL |
| SHMSS800 | SHIM FIT STAL *S-80* 90X110X0.10MM REF-1906 026-4 | STAL |
| SHMSS801 | SHIM FIT STAL *S-83* 65X85X0.10MM | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| | REF-1906 026-1 | |
| SHMSS803 | SHIM FIT STAL *S-83* 75X95X0.10MM REF-1906 026-2 | STAL |
| SHMSS805 | SHIM FIT STAL *S-85* 85X105X0.10MM REF-1906 026-3 | STAL |
| SHMSS809 | SHIM FIT STAL *S-89* 100X120X0.10MM SKF PS REF-1906 026-5+2212.141 | STAL |
| SKT75128 | SERVICE KIT FIT SAB *128* ADJUSTING SYSTEM FOR VI-SLIDE REF- | STAL |
| SKT75782 | SERVICE KIT FIT SAB *163* UPGRADE KIT SLIDE STOP REF-3084.782# | STAL |
| SKTFS200 | SERVICE KIT OIL FILTER FIT *SAB-151 S/M/L/E R1270 * REF-3088.200 | STAL |
| SKTFS208 | SERVICE KIT A - OIL FILTER KIT (FLRFS2402) FIT *SAB-120+S+M+L+E R1270* REF-3088.208 | STAL |
| SKTFS209 | SERVICE KIT *B* - COALESCER KIT (FLRFS9902) - FIT *SAB-120+151+193- AFRAME+S+M+L+E R1270+OHU 4123 (FRICK STYLEELEMENT) * REF- 3088.209# | STAL |
| SKTFS588 | SERVICE KIT *A* OIL FILTER (FLRFS2402) FIT *SAB-120+S+M+L+E* REF-3088.588 | STAL |
| SKTFS594 | SERVICE KIT *A* FILTER (FLRFS002) FIT *FRICK +SAB-193-S* REF-3088.594 | STAL |
| SKTFS657 | SERVICE KIT *B* - COALESCER KIT (FLRFS9921) - FIT *SAB-120+151+193- AFRAME* OHU 4123 +FRICK STYLE ELEMENT (FROM07/2019) REF3088.657+3088.193 # | STAL |
| SKTFS658 | SERVICE KIT *B* - COALESCER KIT (FLRFS9921) - FIT *SAB-193+233+283- AFRAME* OHU 4136 +FRICK STYLE ELEMENT REF3088.658 # | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| SKTSS005 | SERVICE KIT BEARINGS FIT STAL *S-24-MK1-B+C+MK2-D* REF-3087.005 | STAL |
| SKTSS006 | SERVICE KIT OIL FILTER (FLRSS020) & O RINGS FIT STAL *S-24+26* MK1+2 SIL-3 REF-3087.006 + 1905 914-A + 3952 6451 020+ 3952 6451 025+3952 6409 020# | STAL |
| SKTSS007 | SERVICE KIT BEARINGS FIT STAL *S-26-MK1+2* REF-3087.007 | STAL |
| SKTSS009 | SERVICE KIT SHAFT SEAL FIT STAL *S-50* 2-3/8" REF-3087.009# | STAL |
| SKTSS011 | KIT ASSEMBLY FIT STAL *S-50* REF-3087.011 - NOT COMPLETE | STAL |
| SKTSS017 | SERVICE KIT STAL *S-70* OIL PUMP REF-3087.017 | STAL |
| SKTSS018 | SERVICE KIT STAL *S-70* SHAFT SEAL REF-3087.018 | STAL |
| SKTSS019 | SERVICE KIT STAL *S-70* MAIN BEARING REF-3087.019 | STAL |
| SKTSS020 | SERVICE KIT CONNECTION FIT *S-70* REF-3087.020 | STAL |
| SKTSS021 | GASKET KIT CAPACITY CYLINDER FIT *S-70* REF-3087.021 | STAL |
| SKTSS023 | SERVICE KIT WASHERS AND TENSION PINS FIT STAL *S-70* REF-3087.023 | STAL |
| SKTSS024 | SERVICE KIT SHAFT SEAL FIT STAL *S-70* REF-3087.024 | STAL |
| SKTSS066 | SERVICE KIT BEARINGS FIT STAL *S-81+SAB-81* REF-3088.066 | STAL |
| SKTSS067 | SERVICE KIT BEARINGS FIT STAL *S-83* REF-3088.067 | STAL |
| SKTSS068 | SERVICE KIT BEARINGS FIT STAL *S-85* REF-3088.068 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| SKTSS069 | SERVICE KIT BEARINGS FIT STAL *S-87* REF-3088.069 | STAL |
| SKTSS108 | GASKET KIT SUCTION FILTER FIT STAL *S-83* REF. 3088.108 | STAL |
| SKTSS708 | SERVICE KIT OIL PUMP FIT STAL *S- 81+83+85+87+89* REF-3084.708 + 3084.717 | STAL |
| SKTSS792 | SERVICE KIT FIT STAL *SV-80+SF-85* UNIT OIL FILTER 25 MY REF-3084.792# | STAL |
| SKTSS870 | SERVICE KIT BEARINGS FIT STAL *S-89* REF-3088.070 | STAL |
| SKTSS871 | SERVICE KIT BEARINGS FIT STAL *S-87* BOOSTER REF-3088.071 | STAL |
| SKTSS872 | SERVICE KIT BEARINGS FIT STAL *S-89* BOOSTER REF-3088.072 | STAL |
| SKTSS9749 | SERVICE KIT STAL *S-93B+D* MAIN BEARING REF-3084.749 | STAL |
| SKTSSF19 | SERVICE KIT SHAFT SEAL FIT STAL *F- 19-A+B+C* REF-1940 431-A- GENUINE | STAL |
| SKTSSR052A | SERVICE KIT SHAFT SEAL STAL *R-5- MK2 M* REF-1904 850-A | STAL |
| SKTSSR05A | SERVICE KIT SHAFT SEAL STAL *R-5- MK1* REF-1904 372-A | STAL |
| SKTSSR05M | SERVICE KIT SHAFT SEAL STAL *R-5- MK2 M DESIGN ONLY* REF-1940 850-A | STAL |
| SKTSSR5A | SERVICE KIT FIT STAL *R-5* GENERATION *P* SHAFT SEAL REF- 3084.731 | STAL |
| SKTSU004 | JUEGO JUNTAS + TORICAS FIT STAL 4 CIL *U* / GASKET SET + O-RINGS REF- 1894 349-A | STAL |
| SKTSU008 | JUEGO JUNTAS + TORICAS FIT STAL 8 CIL *U* / GASKET SET + O-RINGS REF- 1894 350-A (GASKETS NOT INCLUDED: | STAL |

| Ralco P/N | Description | Compressor |
|-----------|---|------------|
| | 1872 508-1+1874 047-1+1874 834-1+1875 866-1+1875 867-1+1876 271-1 | |
| SLDSS000 | SLIDING RING FIT SCREW STAL REF-1910 149-2 | STAL |
| SLVFS193F | CAMISA PISTON BALANCEADOR FIT FRICK *TDSH-193* / SLEEVE PISTON FEMALE REF-534C0064C01 | STAL |
| SLVFS193M | CAMISA PISTON BALANCEADOR FIT FRICK *TDSH-193* / SLEEVE PISTON MALE REF-534C0269C01 | STAL |
| SLVSSR050 | SLEEVE OPEN FIT STAL *R-5* REF-1905 050-1 | STAL |
| SLVSSR212 | SLEEVE FIT STAL *R-5* REF-1902 212-1 | STAL |
| SNPEX015 | ANILLO SAEGER FIT *SAB-163*/EXTERNAL RETAINING RING-SNAP RING-CIRCLIP DIN-471 A18 E-15 15X1.0 REF-1437.206 | STAL |
| SNPEX018 | ANILLO SAEGER FIT *STAL S-89*/EXTERNAL RETAINING RING-SNAP RING-CIRCLIP DIN-471 A18 E-18 18X1.2 REF-3921 5455 120 - 1437.211+42-313-1015 | STAL |
| SNPEX050 | ANILLO SAEGER FIT *FRICK-193+5HP*/EXTERNAL RETAINING RING-SNAP RING-CIRCLIP METRIC 471-50 E-50X2 REF-534B0014H11 +YCCH193 + 42-313-1042+WNG3200D + NG12-050+NG1200-050+11036050 | STAL |
| SNPEX060 | ANILLO SAEGER FIT *SAB-283 + FRICK-399* /EXTERNAL RETAINING RING-SNAP RING-CIRCLIP METRIC 471-60 E-60X2 REF-534B0014H12 + 42-313-1047+1437.065+3921 5455 147+NG12-060+NG1200-060+382.221-13 | STAL |
| SNPFS193 | NULO | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| SNPIX030 | ANILLO SAEGER FIT*S-50+AC-70+80*/ INTERNAL RETAINING RING-SNAP RING-CIRCLIP DIN-472 J30 30X1.2 REF- 3921 5455 130+42-314-1021+1104030 | STAL |
| SNPIX062 | ANILLO SAEGER FIT *S-50*/ INTERNAL RETAINING RING-SNAP RING-CIRCLIP FIT DIN-472 J62 62X2 REF-3921 5460 148 + 42-314-1042 + 1437.156+382.231-08 | STAL |
| SNPIX120X4 | SEARCH SNPIX120 | STAL |
| SNPIX130 | INTERNAL RETAINING RING-SNAP RING-CIRCLIP FIT *S-50* J130 130X4 DIN-472 REF-3921 5460 173+NG11- 130+NG1100-130 | STAL |
| SNPIX155 | INTERNAL RETAINING RING-SNAP RING-CIRCLIP FIT *S-50* J155 155X4 DIN-472 REF-3921 5460 178 | STAL |
| SNPSS126 | SEARCH SNPEX025 EXTERNAL RETAINING RING-SNAP RING-CIRCLIP FIT *S-50* A25 25X1.2 DIN-471 REF- 3921 5455 126+1437.236+534B00114H16 | STAL |
| SNPSS143 | SEARCH SNPIX052 INTERNAL RETAINING RING-SNAP RING-CIRCLIP FIT *S-50* J52 52X2 DIN-472 REF-3921 5460 143+382.231-23 | STAL |
| SNPSS156 | SEARCH SNPEX080 EXTERNAL RETAINING RING-SNAP RING-CIRCLIP FIT STAL A80 80X2.5 DIN-471 REF-3921 5455 156 | STAL |
| SNPSSF19 | CIRCLIP FIT STAL *F-19* REF-1906 254- 1 | STAL |
| SNPSSR114 | SEARCH SNPEX012 EXTERNAL RETAINING RING-SNAP RING-CIRCLIP FIT STAL *R-5* 12X1 A12 REF-3921 5455 114 | STAL |
| SPGFS1632 | SPRING DISC FIT* FRICK - TDSH/YCCH+163* DIA.125X71X6.0MM | STAL |

| Ralco P/N | Description | Compressor |
|------------|--|------------|
| | REF-534B0102H02 | |
| SPGFS1801 | SPRING WAVE CREST TO CREST FIT FRICK REF-534B1218H01 | STAL |
| SPGSS083 | HELICAL SPRING FIT STAL *S-70* REF- 1905 083-1 | STAL |
| SPGSS200 | SHAFT SEAL COMPRESION SPRING FIT STAL *S-24 + 26-MK1+2* NR-145 REF- 3921 9227 837 | STAL |
| SPGSS530 | SPRING OIL PRESS REGULATOR FIT STAL *S-57* REF-1875 530-1 | STAL |
| SPGSS951 | HELICAL SPRING FIT STAL *S-70* REF- 1872 951-1 | STAL |
| SPGSS952 | SPRING FIT STAL S-70* REF-1872 952 1 | STAL |
| SPGSSR000 | MUELLE SELLO PRENSA FIT STAL *R- 5+S-50+S-70+S-90* / COMPRESSION SPRING SHAFT SEAL REF-3921 9227 843 | STAL |
| SPGSU010 | DISCHARGE VALVE SPRING FIT STAL *U* N-414 REF-1872 985-1 | STAL |
| SPGW5 | ACERO INOXIDABLE FIT STAL *R-5* / SPLIT SPRING WASHER 8.7X5.1X1.2 M05 DIN127B REF-3921 5401 146+1437.021+1437.061+235033008 | STAL |
| SPGW8X20 | DISC SPRING WASHER FIT *R-5* 8.2X20X0.6 REF-1523.039 + 3921 9512 808 | STAL |
| SPR1!2X32 | ESPARRAGO PRISIONERO FIT STAL *S- 70* / SPEC. SCREW DIN-913 12.9 1/2 UNC32 REF-1876 284-1 | STAL |
| SPR1!4X1!2 | TORNILLO ESPARRAGO PRISIONERO ALLEN FIT STAL *S-50* 1/4"X1/2" / SOCKET SET SCREW CUP POINT FIT W- 1/4"X1/2" 12.9 DIN-916 REF-3921 2261 107 | STAL |
| SPR1!4X3!8 | ESPARRAGO ALLEN MOLETEADO FIT STAL *S-50+70* 1/4X9 / SOCKET SET | STAL |

| Ralco P/N | Description | Compressor |
|-----------|--|------------|
| | SCREW DOG POINT, LOCKING POINTED GRUB SCREW W-1/4"X3/8" DIN-916 REF-3921 2251 104 + 3921 2261 104 | |
| SPR1!4X9 | SEARCH SPG1/4X3/8 - ESPARRAGO ALLEN FIT STAL *S-70* / LOCKING GRUB SCREW 1/4"X9 REF-3921 2261 104+3921 2251 104 | STAL |
| SPR3X05 | TORNILLO ESPARRAGO PRISIONERO ALLEN FIT *SAB-330* / HEX SOCKET SET POINTED SCREW W/CUP 3X5 45H DIN 916 REF-1413.201 | STAL |
| SPR3X10 | ESPARRAGO ALLEN FIT STAL *R-5* / HEX SOCKET SET POINTED SCREW W/CUP 3X10 REF- | STAL |
| SPR4X12 | TORNILLO ESPARRAGO PRISIONERO ALLEN FIT STAL *R59-M* / HEX SOCKET SET POINTED SCREW W/CUP FIT M4X12 45H DIN916 SK6SS12.9 N-52 REF-1413.212 + 3921 2241 291 | STAL |
| SRGSS037 | SEALING RING FIT STAL *S- 81+83+85+87* PTFE 34.5X30X3.6 REF- 3921 5262 430 + 1332.037 | STAL |
| SRGSS038 | SEALING RING FIT STAL 56.2X50X4.8 PTFE RVA 200500-T05-S REF-1332.038 | STAL |
| SRGSS041 | RETEN GUIA TEFLON FIT STAL *SAB+S- 81+87* / TEFLON SOLE GUIDE RING PS19-130X123.8X4.8 PTFE REF-3921 5267 630 + 1332.041 | STAL |
| SRGSS042 | SEALING RING FIT STAL *S-87* PTFE 178.2X172X4.8 REF-3921 5267 680 + 1332.042 | STAL |
| SRGSS043 | SEALING RING FIT *S-85* GRAPHITE RVA 201050-T40S 111.2X105X4.8 REF- 1332.043+3921 5262 505 | STAL |
| SRGSS044 | SEALING RING FIT *S-85* 115X108.8X4.8 PTFE REF-1332.044 + 3921 5267 615 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| SRGSS046 | SEALING RING FIT *S-85* 160X153.8X4.8-221/S PTFE REF- 1332.046 + 3921 5267 660 | STAL |
| SRGSS049 | SEALING RING FIT *S-89* 105.2X92.55X7.1-231/S PTFE REF- 1332.049 + 1332.209+3921 5262 295 | STAL |
| SRGSS055 | SEARCH RTNSS055 - V RING FIT STAL *S-26* V-55 HNBR 59X49X9 REF-3922 1633 055 + 1332.062 | STAL |
| SRGSS061 | SEALING RING SHAFT SEAL FIT STAL *S- 81* 200782-T40S REF-3921 5262 478 + 1332.061 | STAL |
| SRGSS063 | SEALING RING FIT STAL *S-81* 85X78.8X4.8 PTFE REF-3921 5267 585 + 1332.063 | STAL |
| SRGSS2011 | SEALING RING FIT *S-24* REF-1903 301-1 | STAL |
| SRGSS2021 | SEALING RING FIT *S-24* REF-1903 302-1 | STAL |
| SRGSS2031 | SEALING RING FIT *S-24* REF-1903 303-1 | STAL |
| SRGSS2061 | SEALING RING FIT *S-24* REF-1903 306-1 | STAL |
| SRGSS2071 | SEALING RING FIT *S-24* REF-1903 307-1 | STAL |
| SRGSS2081 | SEALING HOLDER FIT *S-24* REF-1903 308-1 | STAL |
| SRGSS231 | RETEN SELLO PRENSA FIT STAL *S-87* / SEALING RING SHAFT SEAL WITH O- RING PTFE 94X82.55X7.1 REF-1332.231 | STAL |
| SRGSS232 | RETEN SELLO PRENSA FIT STAL *S- 83+87* / SEALING RING SHAFT SEAL WITH O-RING PTFE 94.7X83X7.1 REF- 1332.232 | STAL |

| | Ralco P/N | Description | Compressor |
|--|------------------|---|-------------------|
| | SRGSS272 | SEALING RING FIT STAL *S-24* 81.4X72X7.1 ID=72 GRAPHITE REF- 3921 5262 272 | STAL |
| | SRGSS285 | SEALING RING FLEXISEAL JS FIT STAL *S-24* 94.4X85X7.1 ID=85 FLEXISEAL JS REF-3921 5262 285 + 1332.039 | STAL |
| | SRGSS290 | RETEN FIT STAL *S-26* / SEALING RING RS-19 99.9X90X6.5 ID=90 REF-3921 5262 290 | STAL |
| | SRGSS463 | SEALING RING FIT STAL *S-24* 63X56.8X4.8 PTFE OD=63 REF-3921 5263 463 | STAL |
| | SRGSS480 | RETEN FIT STAL *S-26* / SEALING RING PS-19 80X73.8X4.2 OD=80 REF-3921 5263 480 | STAL |
| | SRGSS491 | RETEN FIT STAL *S-70* / SEALING RING REF-1921-491-8 | STAL |
| | SRGSS5130 | SEARCH SNPSS130 EXTERNAL RETAINING RING FIT STAL *S-51* 30X1.5 REF-3921 5455 130 | STAL |
| | SRGSS566 | SEALING RING FIT *S-24*/ SEALING RING PTFE ID=70MM REF-3921 5261 566 | STAL |
| | SRGSS605 | SEALING RING SEUD STAL FIT *S-83* PTFE 105X98.8X4.8-221/S REF-3021 5267 605 - 1332.056 | STAL |
| | SRGSS650 | SEALING RING FIT STAL *S- 89+83*+*SAB-89+83* 150X143.8X4.8 REF-3921 5267 650 + 1332.052 | STAL |
| | SRGSS700 | SEALING RING SEUD FIT STAL *S- 89*+*SAB-89* 200X193.8X4.8-221/S REF-3921 5267 700 + 1332.051 | STAL |
| | SRGSS870 | RETEN *A* FIT STAL *S-50* / SEALING RING 90X70X10G REF-3921 5271 870 | STAL |
| | SRGSSR216 | SEARCH SRG75501 RETEN PTFE FIT STAL *R-5* / SEALING RING U SLEEVE | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| | 20.1X16X3.6 SEUD REF-3921 5265 216 | |
| SRGSSR237 | (63) SEALING RING U SLEEVE FIT STAL *R-5* 32.5X3.6 REF-3921 5266 237 | STAL |
| SRGSSR255 | RETEN PTFE FIT STAL *R-5* / SEALING RING U SLEEVE OD=55 MM REF-3921 5263 255 | STAL |
| SRGSSR440 | SEARCH SRG01209 - SEALING RING U SLEEVE FIT STAL *R-5* PISTON CAPACITY CONTROL 40X33.8X4.8 REF-3921 5266 440 + 55-094-0209 | STAL |
| SRGSSR455 | RETEN PTFE FIT STAL *R-5+F-19* / SEALING RING U SLEEVE ID=55 MM REF-3921 5262 455 | STAL |
| SRGSSR596 | RING WITH VARILIP SEAL FIT STAL *R-5* REF-3084.596+3084P521 | STAL |
| SRNSP000 | SUCTION STRAINER FIT STAL *P2-K* N-627 REF-1894.071.A | STAL |
| SRNSS2441 | SUCTION FILTER FIT STAL*S-26* SIL-1 REF-1901 824-1 | STAL |
| SRNSS5541 | SUCTION FILTER FIT STAL*S-24* SIL-1 REF-1899 554-1 | STAL |
| SRNSS81 | SUCTION FILTER FIT STAL *S-81* REF-1906 061-1+3042.196+3042.131 | STAL |
| SRNSS850 | SUCTION FILTER FIT STAL *S-85* REF-1906 361-1 + 1517.132 + 3042.198 | STAL |
| SRNSSR000 | FILTRO ASPIRACION FIT STAL *R-5* / SUCTION FILTER SIL-1 REF-1901 450-A | STAL |
| SRNSSR5 | SERVICE KIT SUCTION FILTER FIT *R-5 + F-19-A+B+C* REF-1904 371-A - GENUINE | STAL |
| SRNSSS060 | 72X150 FILTER ELEMENT FIT STAL *R-5+S-24+26* / SUCTION FILTER FFPA-11028 STEEL MESH SIL-5 REF-3952 6404 060 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| SSTFS032 | SEARCH SSTFS076 SET *C* 30.000 HOURS OVERHAUL (FLRFS2402) FIT FRICK *XJS-151 + SAB-151 S+M+L+E* R-22+R717 + HCFC REF-3089.032+3089.076 | STAL |
| SSTFS033 | SEARCH SSTFS077 SET *D* 30.000 HOURS MAJOR OVERHAUL (FLRFS9901 + 2402) FIT FRICK *SAB-151-S+M* R-22 + HCFC REF-3089.033 | STAL |
| SSTFS034 | SEARCH SSTFS078 SET *D* 30.000 HOURS MAJOR OVERHAUL (FLRS05050 + 2402) FIT FRICK *SAB-151-L+E* R-22 + HCFC REF-3089.034 | STAL |
| SSTSS224MK1 | SERVICE SET *C* 40.000 H FIT STAL *S-24-MK1-B+C* REF-3087.002 | STAL |
| SSTSS224MK2 | SERVICE SET 40.000 H FIT STAL *S-24-MK2-D* REF-3087.004 | STAL |
| SSTSS226MK1 | SERVICE SET 40000 HOURS FIT STAL *S-26-MK1-A* REF-3087.003 | STAL |
| SSTSS226MK2 | SERVICE SET *C* 40.000 H FIT STAL *S-26-MK2-B* REF-3087.008 | STAL |
| SSTSS500 | SERVICE SET STAL FIT *S-51+57* 40.000 HOURS REF-3084.725 + 1894 980A + 1896 850-D +3084.726 | STAL |
| SSTSS500B | SERVICE SET STAL FIT *S-50 BOOSTER* 40.000 HOURS REF-3084.727+3084.728 | STAL |
| SSTSS622 | EXTENDED SERVICE SET BOOSTER FIT STAL *S-87* REF-3084.622 | STAL |
| SSTSS700 | SERVICE SET STAL FIT *S-70* ALL MODELS 40.000 HOURS REF-3087.025+3084.732+3084.730+3084.729 | STAL |
| SSTSS801 | SERVICE SET STAL FIT *SAB-81* 40.000 HOURS REF-3084.545 | STAL |
| SSTSS803 | SERVICE SET STAL FIT *SAB-83* 40.000 HOURS REF-3084.546 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| SSTSS805 | SERVICE SET STAL FIT *SAB-85* 40.000 HOURS REF-3084.547+3184P049 | STAL |
| SSTSS807 | SERVICE SET STAL FIT *SAB-87* 40.000 HOURS REF-3084.548+3184P058 | STAL |
| SSTSS809 | SERVICE SET STAL FIT *SAB-89* 40.000 HOURS REF-3084.549 | STAL |
| SSTSS8092 | SERVICE SET STAL FIT *SAB-89* BOOSTER 40.000 HOURS REF-3084.623 | STAL |
| SSTSS903 | SPARE PART SET STAL FIT *S-93* REF-1898 347-A | STAL |
| SSTSSF19 | SERVICE SET OVERHAUL STAL FIT *F-19-A+B+C* REF-3087.031 | STAL |
| SSTSSR51 | SERVICE SET OVERHAUL 40000 HRS. STAL FIT *R5-MK1 GEN. AB + CD + EF* REF-3087.026 | STAL |
| SSTSSR52 | SERVICE SET OVERHAUL 40000 HRS. STAL FIT *R5-MK2 GEN.GH + KL UNTIL SN. 119362* REF-3087.027 | STAL |
| SSTSSR53 | SERVICE SET OVERHAUL 40000 HRS. STAL FIT *R5-MK2 GEN. KL+M FROM SN. 119366* REF-3087.028 | STAL |
| STPSS033 | PISTON STEMPEL 20X25 FIT STAL *R-5* REF-1905 033-1 | STAL |
| STYSS676 | STYR GUIDE PTFE TEFLON FIT STAL REF-1896 676-1 | STAL |
| TUBSSR000 | INJECTION PIPE FIT STAL *R* SHAFT SEAL REF-1905 781-A | STAL |
| VALSP000 | SUCTION VALVE RING STAL *P-8* | STAL |
| VALSP008 | INLET VALVE FIT STAL *P-2CD* REF-18751712 | STAL |
| VALSP009 | VALVE SET COMPLETE FIT STAL *P2-K* N-300 REF-1895.305.B | STAL |
| VALSP010 | DISCHARGE VALVE RING STAL *P* REF-1894 267-2 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|---|-------------------|
| VALSS000 | INSERT FOR HIDRAULIC VALVE FIT STAL *AHC-40* REF-1905 204-D | STAL |
| VALSS001 | INSERT FOR HIDRAULIC VALVE FIT STAL *AHC-65* REF-1905 204-F | STAL |
| VALSS1011 | FLAT RING STAL FIT *S-93* REF-1896 101-1 | STAL |
| VALSU010 | ANILLO VALVULA DESCARGA FIT STAL *U* / DISCHARGE VALVE RING 56.2X36X0.8 N-428 REF-18705632 | STAL |
| VALSU011 | ANILLO VALVULA DESCARGA STAL *U* / DISCHARGE VALVE RING 86.3X65.9X0.8 N-429 REF-18705642 | STAL |
| VALSU012 | ANILLO VALVULA DESCARGA FIT STAL *U* / DISCHARGE VALVE PLATE RING 116.1X95.9X0.8 N-430 REF-18705652 | STAL |
| VALSU015 | DISCHARGE VALVE SPACER FIT STAL *U* N-407 REF-18729461 | STAL |
| VALSU019 | KIT 3 VALVULAS DESCARGA FIT STAL *U* / SET 3 DISCHARGE VALVE RING REF-1870 563 + 564 + 565 | STAL |
| VSGSS201 | NON RETURN VALVE VYC TYP AL53 DN32 SPECIAL ADAPTED FIT *S-89* REF-1364.201+3951 4681 032 | STAL |
| VSGSS202 | NON RETURN VALVE FIT *S-81 + 83* D1B125-0.2N REF-1364.202 | STAL |
| WASSP000 | COJINETE EMPUJE AXIAL STAL *P2-K* / THRUST BEARING N-230 REF-P42.176A | STAL |
| WASSP001 | THRUST RING FIT STAL *P-2CD* REF- 18766051 | STAL |
| WASSS117 | STEEL WASHER FIT STAL *S-89* SHIM 30X17X3.8 REF-1521.117 | STAL |
| WASSS124 | ARANDELA TEFLON FIT STAL *S-70* / BACK SEAL REF-1888 124-1 | STAL |
| WASSS171 | SEARCH SPGW10 SPRING WASHER FIT *S-50* 10.2X17.2X2.2 REF-3921 5401 | STAL |

| Ralco P/N | Description | Compressor |
|------------------|--|-------------------|
| | 171 | |
| WASSS205 | RING FIT STAL REF-1887 205-2 | STAL |
| WASSS3385 | ARANDELA ALUMINIO FIT STAL / ALLUMINIUM GASKET 41X50X4 MM NO P/N | STAL |
| WASSS667 | DISTANCE WASHER FIT STAL *S-50* HOUSING BEARING SLEEVE N-64 REF- 1872 667-1 | STAL |
| WASSSR001 | (57) METAL RING SHAFT SEAL FIT STAL *R-5* REF-1904 461-1 | STAL |
| WASSSR002 | METAL RING SEAT HOLDER SHAFT SEAL FIT STAL *R-57+59-MK2* REF-1904 791-1 | STAL |
| WASSSR079 | ARANDELA MACIZA CON 2 MUESCAS + AGUJERO CENTRAL FIT STAL *R-57- MK2* / WASHER REF-1903 079-1 | STAL |
| WASSSR173 | SEARCH WAS7035 FLAT WASHER FIT STAL *R-5* 20X10.5X2 REF-3921 5121 173 | STAL |
| WASSSR236 | ARANDELA MUELLE FIT STAL *R- 5MK1+2* / DISC SPRING 36X71X2.5 REF-3921 9512 236 | STAL |
| WASSSR298 | (39) PLETINA CIRCULAR SOPORTE STAL FIT *R-5-M* / SUPPORT RING 129X55.2X1X19.2 REF-1940 298-1 | STAL |
| WASSSR469 | ARANDELA MACIZA CON 2 MUESCAS + 3 AGUJERO FIT STAL *R-57-MK2* / DISC REF-1903 469-1 | STAL |
| WASSSR492 | ARANDELA FIT STAL *R-5* / WASHER SHAFT SEAL 46X20.7X1 REF-1901 449-2 | STAL |
| WASSSR493 | ARANDELA ACERO FIT STAL *R-5* / STEEL WASHER SHAFT SEAL KIT 40X16.5X1 REF-1901 449-3 | STAL |
| WASSSR811 | LOCK WASHER FIT STAL *R-5* 26.5X10.5X1 REF-3921 5411 811 | STAL |


| Ralco P/N | Description | Compressor |
|-----------|---|------------|
| WASSU000 | ANILLO TOPE CIGÜEÑAL FIT STAL *U* / THRUST BEARING N-221+256 REF-18725911 | STAL |
| WASSU516 | ROLLER SUCTION VALVE PLATE FIT STAL *U* N-4 REF-18725161 | STAL |
| WASSU683 | DISCHARGE WASHER SPRING FIT STAL *U* N-409 REF-1870 568-3 | STAL |
| WASSU685 | DISCHARGE WASHER SPRING FIT STAL *U* N-410 REF-18705685 | STAL |
| WHLSSR57 | MULTIPLICADOR FIT STAL *R-57-MK2* GEN E + POSTERIORES / SET PINION + GEAR *R-57* GEN E + ONWARDS REF-1904 965-B | STAL |
| WHLSSR57A | RUEDA DENTADA ARRASTRE MOTOR FIT STAL *R-57* COMUN / PINION *R-57 MK1+2 GEN A + ONWARDS* 1902 237-7 | STAL |
| WHLSSR57B | RUEDA DENTADA INDUCIDA FIT STAL *R-57-MK2 GEN E PNWARDS* / GEAR WHEEL REF-1904 470-7 | STAL |



RALCO EUROPA S.L.


Leader in aftermarket spare parts for refrigerating compressors in the European market for more than 30 years.

CONTACT

 c/Almirall Pròixida, 14-16
Bjos E-08030 Barcelona (Spain)

 www.ralcoeuropa.com

 ralco@ralcoeuropa.com

 (+34) 932.745.270

 WhatsApp



Need help?

Ask us!